



ELSEVIER
SAUNDERS

Pediatr Clin N Am 51 (2004) 229–236

THE PEDIATRIC
CLINICS OF
NORTH AMERICA

Index

Note: Page numbers of article titles are in **boldface** type.

A

- Abuse, sleep disorders in, 56–57
- Achondroplasia, sleep-disordered breathing in, 100–101
- Actigraphy, in sleep disorders, 3, 170
- Adenotonsillar hypertrophy, evaluation of, in sleep-disordered breathing, 167
- Adenotonsillectomy, for obstructive sleep apnea, 158
- Adjustment sleep disorders, 17, 37
- Adolescents
- sleep disorders in, 6–7
 - from substance abuse, 61–62
 - hypersomnolence, 14–15
 - in depression, 51
 - in Kleine-Levin syndrome, 97–98
 - insomnia, 118
 - sleep patterns in, 3–4, 36
- Advanced sleep phase syndrome, 38
- Alcohol use, sleep disorders from, 61–62
- Amphetamines, for narcolepsy, 124
- Anticonvulsants, hypersomnolence from, 22
- Antidepressants
- for depression, 51–52
 - for insomnia, 45–46
- Antihistamines, for insomnia, 44–45, 121
- Anxiety
- insomnia in, 33
 - sleep disorders in, 54, 144–145
- Apnea, obstructive. *See* Obstructive sleep apnea.
- Arousal sleep disorders, 72–78
- in asthma, 199–201
- Asberger's disorder, sleep disorders in, 58–60

Asthma

- hypersomnolence in, 21–22
 - sleep disorders in, 199–201
- Attention deficit hyperactivity disorder
- sleep disorders in, 187–188
 - insomnia, 144
 - obstructive sleep apnea, 159–161
 - periodic limb movement disorder, 187
 - versus obstructive sleep apnea, 90–91
 - versus restless legs syndrome, 91–93
- Attentional capacity, sleep disorder effects on, 189
- Audiotaping, in sleep-disordered breathing, 175
- Autism, sleep disorders in, 58–60
- Awakenings, scheduled, for sleep disorders, 137

B

- Bed-sharing, advantages and disadvantages of, 4–5
- Bedtime resistance, 135–138
- Behavioral assessment, in sleep-disordered breathing, 170
- Behavioral/cognitive therapy, for insomnia, 40–43, 141
- Behavioral sleep disorders, 17–19
- Benign nocturnal alternating hemiplegia of children, 99–100
- Benzodiazepines, for insomnia, 44, 122
- Bipolar disorder, sleep disorders in, 52–53
- Blindness, circadian rhythm disturbances in, sleep disorders in, 19

- Brain
 injury of, sleep disorders in, 87–90, 216
 tumors of, sleep disorders in, 95–97
- Breathing, sleep-disordered. *See* Obstructive sleep apnea; Sleep-disordered breathing.
- Bruxism, sleep, 82, 84–85

C

- Carbidopa, for restless legs syndrome, 127–128
- Cardiovascular disease, in obstructive sleep apnea, 155
- Cataplexy
 in brain tumors, 95–97
 treatment of, 125
- Child abuse, sleep disorders in, 56–57
- Children's sleep habits questionnaire, 168
- Chloral hydrate, for insomnia, 44, 120
- Circadian rhythm disturbances, sleep disorders in, 38
 adjustment of, 104–105, 142
 hypersomnolence, 18–19
 in brain injury, 87–90
 light-dark cycle exposure in, 104–105
- Cleft lip and palate, sleep disorders in, 202–203
- Clonazepam, for insomnia, 44, 122
- Clonidine, for insomnia, 45
- Cluster headache, night terrors in, 98–99
- Co-sleeping, advantages and disadvantages of, 4–5
- Cognitive function, assessment of, in sleep-disordered breathing, 170
- Cognitive therapy, for insomnia, 40–43, 141
- Computed tomography, in sleep-disordered breathing, 169
- Confusional arousals, from sleep, 72–78
- Conotruncal face syndrome, sleep disorders in, 203, 205–206
- Continuous positive airway pressure, for obstructive sleep apnea, 158–159
- Corticosteroids, nasal, for obstructive sleep apnea, 126–127
- Craniofacial abnormalities, sleep disorders in, 202–206
- Craniopharyngioma, sleep disorders in, 96

- Cultural factors, in sleep practices, 4–5
- Cystic fibrosis
 hypersomnolence in, 21–22
 sleep disorders in, 201–202

D

- Delayed sleep phase syndrome, 38, 118, 142
- Depression, sleep disorders in, 50–52, 144–145
 hypersomnolence, 25
 insomnia, 33
- Developmental disability, sleep disorders in, 143–144
- Diazepam, for insomnia, 44
- DiGeorge syndrome, sleep disorders in, 203, 205–206
- Diphenhydramine, for insomnia, 45, 119–120
- Down syndrome, sleep disorders in, 208–209
- Dreams, frightening (nightmares), 55–56, 77, 79, 81
- Duchenne muscular dystrophy, sleep disorders in, 216–217
- Dyssomnias, 37–38. *See also specific disorders.*

E

- Electroencephalography, in sleep-disordered breathing, 174
- Electromyography, in sleep-disordered breathing, 174
- Enuresis, sleep disorders in, 212–213
- Environmental factors
 in hypersomnolence, 22–23
 in insomnia, 141
 in poor sleep hygiene, 139–140
- Epilepsy
 hypersomnolence in, 22
 nocturnal frontal lobe, 93–95
- Epworth sleepiness scale, in sleep-disordered breathing, 178
- Excessive sleepiness. *See* Hypersomnolence.
- Executive dysfunction, sleep disorders and, 192
- Extinction method, for sleep disorders, 42, 136–137, 143–144

F

-
- Failure to thrive, in obstructive sleep apnea, 155
 - Family, sleep disorder effects on, insomnia, 33
 - Fear, nighttime, sleep disorders in, 54–55
 - Ferritin deficiency, restless legs syndrome in, 92–93
 - Fluticasone, nasal, for obstructive sleep apnea, 126
 - Food foraging, in Prader-Willi syndrome, 101–102

G

-
- Gamma-hydroxybutyrate, for narcolepsy, 125
 - Gastroesophageal reflux disease, sleep disorders in, 117–118, 200, 206–207
 - Growing pains, versus restless legs syndrome, 91–93
 - Growth retardation, in obstructive sleep apnea, 155

H

-
- Headache, cluster, night terrors in, 98–99
 - Hearing, sleep and, 215–216
 - Hemiplegia, benign nocturnal alternating, of children, 99–100
 - Home studies, in sleep-disordered breathing, 176–177
 - Hypersexuality, in Kleine-Levin syndrome, 97–98
 - Hypersomnolence, **13–29**. *See also* Narcolepsy.
 - causes of, 14–17, 138–140
 - inadequate sleep, 16–19
 - increased sleep requirements, 17, 23–25
 - sleep fragmentation, 16, 19–23
 - clinical presentation of, 14–15
 - definition of, 13–14
 - evaluation of, 25–26, 177–178
 - idiopathic, 25
 - in depression, 144–145
 - in Kleine-Levin syndrome, 97–98
 - in neonatal hypotonia, 101–102
 - in Prader-Willi syndrome, 101–102
 - recurrent, 25
 - temporary, 24
 - treatment of, 138–140
 - unrecognized, 13

- Hypertension, in obstructive sleep apnea, 155
- Hypic myoclonia (sleep starts), 71–78
- Hypotonia, neonatal, hypersomnolence in, 101–102
- Hypoventilation
 - in cystic fibrosis, 201–202
 - in scoliosis, 213–215

I

-
- Inattention, in sleep disorders, 189
 - Infant(s)
 - brain injury in, circadian rhythm disorders in, 87–90
 - insomnia in, treatment of, 117–118
 - sleep patterns in, 2–3, 35
 - training to sleep alone, 5–6
 - Insomnia, **31–48**
 - bedtime resistance and, 135–138
 - clinical presentation of, 32
 - cognitive restructuring for, 141
 - definition of, 33–34, 140
 - differential diagnosis of, 135
 - evaluation of, 39–40, 134–135
 - example of, 31
 - extinction techniques for, 136–137
 - family impact of, 33
 - health impacts of, 32–33
 - in anxiety, 144–145
 - in attention deficit hyperactivity disorders, 144
 - in depression, 33, 50–52, 144–145
 - in developmental disabilities, 143–144
 - in restless legs syndrome, 91–93
 - night wakings and, 135–138
 - parental education for, 138
 - positive routines for, 138
 - primary, definition of, 34
 - psychophysiologic, 37
 - relaxation techniques for, 141
 - risk factors for, 32
 - scheduled awakenings for, 137
 - sleep hygiene for, 138–141
 - sleep restriction for, 141
 - stimulus control for, 141
 - treatment of, 40–46, **133–149**
 - behavioral/cognitive, 40–43
 - pharmacologic, 43–46, 117–123
 - types of, 140
 - versus normal sleep features, 34–36
 - Intelligence, sleep disorders and, 190–191
 - Iron deficiency, restless legs syndrome in, 92–93
 - Irritability, in Kleine-Levin syndrome, 97–98

J

Jerks, hypnogogic (sleep starts), 71

K

Kabuki make-up syndrome, sleep disorders in, 203, 205–206

Kleine-Levin syndrome, hypersomnolence in, 25, 97–98

Kyphoscoliosis, sleep disorders in, 213–215

L

Learning, sleep disorder effects on, 191

Leg, restless/periodic movements of, in sleep. *See* Restless legs syndrome (periodic leg movements).

Levodopa, for restless legs syndrome, 127–128

Light therapy, for seasonal affective disorder, 54

Limit-setting sleep disorders, 17–18, 37

Lip, cleft, sleep disorders in, 202–203

M

Magnetic resonance imaging, in sleep-disordered breathing, 169–170

Maintenance of wakefulness test, in sleep-disordered breathing, 178

Melatonin, for insomnia, 45, 104, 121–122

Memory, sleep disorder effects on, 190

Menstrual cycle, hypersomnolence in, 25

Mental retardation, sleep disorders in, 58–60, 89–90
from circadian rhythm disturbances, 19
treatment of, 143–144

Methylphenidate, for narcolepsy, 124

Mickey Mouse test, for nasal airflow, 166–167

Migraine, sleep deprivation and, 98–99

Modafinil, for narcolepsy, 124

Motor disorder, rapid eye movement, 83

Multiple sleep latency test
in hypersomnolence, 26
in sleep-disordered breathing, 177–178

Muscular dystrophy, sleep disorders in, 216–217

Myelomeningocele, sleep-disordered breathing in, 100–101

Myoclonia, hypic (sleep starts), 71–78

Myotonic dystrophy, narcolepsy-cataplexy in, 97

N

Nap(s), appropriate, 140

Nap studies, in sleep-disordered breathing, 176

Narcolepsy

description of, 37
hypersomnolence in, 23–24
in brain tumors, 95–97
snoring in, 159–160
treatment of, 123–125

Neonatal hypotonia, hypersomnolence in, 101–102

Neurocognitive dysfunction, sleep disorders in,

183–198
animal models of, 192–193
attention deficit hyperactivity disorder, 187–188
consequences of, 188–192
obstructive sleep apnea, 185–186
periodic limb movements, 187
sleep restriction, 184–185
snoring, 185–186

Neurologic disorders, sleep disorders in,

87–113, 216–217
arousal, 99–100
breathing disorders, 100–101
cataplexy, 95–97
circadian rhythm disturbances, 87–90
evaluation of, 102–103
hypersomnolence, 97–98, 101–102
insomnia, 91–93
narcolepsy, 95–97
night terrors, 93–95, 98–99
obstructive sleep apnea, 90–91
restless legs syndrome, 91–93
treatment of, 103–105

Niemann-Pick disease, narcolepsy in, 97

Night terrors

in cluster headaches, 72–78, 98–99
in nocturnal frontal lobe epilepsy, 93–95

Nightmares, 55–56, 77, 79, 81

Nighttime fears, sleep disorders in, 54–55

Nocturnal eating or drinking syndrome, 38

O

- Obesity, sleep disorders in, 210–212
- Obesity hypoventilation syndrome, 211
- Obsessive-compulsive disorder, sleep disorders in, 57
- Obstructive sleep apnea, **151–164**
 case studies of, 159–161
 clinical practice guidelines for, 152
 controversy over, 153
 description of, 37
 epidemiology of, 152–154
 evaluation of, 103, 156–157. *See also*
 Sleep-disordered breathing,
 evaluation of.
 future directions for, 161–162
 hypersomnolence in, 20–21
 in cleft lip or palate, 203
 in Down syndrome, 208–209
 in gastroesophageal reflux disease, 207
 in neurologic disorders, 103–104
 in obesity, 210–212
 in velopharyngeal insufficiency,
 205–206
 intelligence and, 190–191
 morbidity in, 154–156
 neurocognitive dysfunction in, 185–186
 school performance and, 191
 treatment of, 126–127, 157–159
 versus attention deficit hyperactivity
 disorder, 90–91
- Overeating, in Kleine-Levin syndrome, 97–98
- Oximetry, in sleep-disordered breathing,
 175–176
- Oxygen therapy
 for cystic fibrosis, 201–202
 for sleep-disordered breathing, 21

P

- Palate, cleft, sleep disorders in, 202–203
- Paralysis
 in benign nocturnal alternating
 hemiplegia of children, 99–100
 sleep, 80–81, 83
- Parasomnias, **67–86**
 arousal disorders, 72–78
 bruxism, 82, 84–85
 causes of, 67–68
 classification of, 67–68
 confusional arousals, 72–78
 definition of, 67–68
 evaluation of, 68–69
 motor disorder, rapid eye movement, 83
 night terrors, 72–78, 93–95, 98–99

- nightmares, 55–56, 77, 79, 81
 non-rapid eye movement, 72–78
 rapid eye movement, 77, 79–85
 rhythmic movement disorders, 69–71
 sleep fragmentation in, 19–20
 sleep paralysis, 80–81, 83
 sleep starts (hypnic myoclonia), 71–78
 sleep-wake transition disorders, 69–72
 somniloquy (sleepwalking), 71–78
 types of, 38–39

- Paresthesia, in restless legs syndrome, 92
- Pemoline, for narcolepsy, 124
- Pergolide, for restless legs syndrome, 128
- Periodic leg movements, in sleep. *See* Restless
 legs syndrome (periodic leg movements).
- Pharyngeal flap surgery, for velopharyngeal
 insufficiency, 205
- Phobia, school, sleep disorders in, 58
- Pierre Robin sequence, sleep disorders in,
 203–204
- Polysomnography
 as gold standard, 2–3
 in hypersomnolence, 26
 in insomnia, 40
 in nocturnal enuresis, 212–213
 in obstructive sleep apnea, 156–157
 in parasomnias, 68–69, 74, 76, 78–80,
 82–84
 in sleep-disordered breathing, 170–174
- Portable studies, in sleep-disordered breathing,
 176–177
- Positive routines, for sleep disorders, 138
- Posterior fossa malformations, sleep-disor-
 dered breathing in, 100–101
- Posttraumatic stress disorder, sleep disorders
 in, 56–57
- Prader-Willi syndrome, sleep disorders in,
 101–102, 212
- Pramipexole, for restless legs syndrome, 128
- Prefrontal cortex, dysfunction of, sleep
 disorders and, 192
- Preschool-aged children
 insomnia in, treatment of, 118
 sleep patterns in, 35–36
- Protriptyline, for obstructive sleep apnea, 126
- Psychiatric disorders, sleep disorders in,
49–66
 anxiety, 33, 54, 144–145

- autism, 58–60
 - bipolar disorder, 52–53
 - depression. *See* Depression.
 - developmental disorders, 58–60
 - in abuse, 56–57
 - in trauma, 56–57
 - incidence of, 49
 - nightmares, 55–56
 - nighttime fears, 54–55
 - obsessive-compulsive disorder, 57
 - school refusal, 58
 - seasonal affective disorder, 53–54
 - substance abuse, 61–62
- Psychophysiology insomnia, 37
- Q**
-
- Quality of lie, in obstructive sleep apnea, 155
- Questionnaires, for sleep-disordered breathing evaluation, 167–168
- R**
-
- Radiography, in sleep-disordered breathing, 169–170
- Relaxation, for insomnia, 141
- Restless legs syndrome (periodic leg movements)
 - description of, 37
 - hypersomnolence from, 22
 - insomnia in, 91–93
 - neurocognitive dysfunction in, 187
 - treatment of, 126–129
- Rett syndrome, sleep disorders in, 89
- Rhythmic movement disorders, in sleep, 69–71
- Ropinolol, for restless legs syndrome, 128
- S**
-
- Scheduled waking method, for sleep disorders, 42
- School
 - performance in, sleep disorder effects on, 191
 - refusal to attend, sleep disorders in, 58
- School-aged children
 - sleep disorders in, 6
 - sleep patterns in, 36
- Scoliosis, sleep disorders in, 213–215
- Screaming, in benign nocturnal alternating hemiplegia of children, 99–100
- Seasonal affective disorder, sleep disorders in, 53–54
- Sickle cell disease, sleep disorders in, 209–210
- Skin picking, in Prader-Willi syndrome, 101–102
- Sleep
 - developmental features of, 34–36
 - requirements of, 6–7, 88
 - training infants for, 5–6
- Sleep apnea
 - in neurologic disorders, 100–101
 - obstructive. *See* Obstructive sleep apnea.
- Sleep deprivation
 - avoidance of, in neurologic disorders, 105
 - migraine and, 98–99
- Sleep diary, 134–135
 - in insomnia, 40
 - in neurologic disorders, 103
 - in sleep-disordered breathing, 168–169
- Sleep-disordered breathing, **165–182**
 - evaluation of
 - abbreviated monitoring in, 175–177
 - actigraphy in, 170
 - audiotaping in, 175
 - behavioral assessment in, 170
 - clinical, 165–167
 - cognitive assessment in, 170
 - daytime sleepiness assessment in, 177–178
 - electroencephalography in, 174
 - electromyography in, 174
 - Epworth sleepiness scale in, 178
 - home studies in, 176–177
 - laboratory, 169
 - maintenance of wakefulness test in, 178
 - multiple sleep latency test in, 177–178
 - nap studies in, 176
 - oximetry in, 175–176
 - polysomnography in, 170–174
 - questionnaires in, 167–168
 - radiographic, 169–170
 - sleep diary in, 168–169
 - unattended portable studies in, 176–177
 - videotaping in, 175
 - hypersomnolence from, 20–21
 - in neurologic disorders, 100–101

- in Prader-Willi syndrome, 102
 in velopharyngeal insufficiency, 205
 intelligence and, 190–191
 memory effects of, 190
 neurocognitive dysfunction in, 185–186
 types of, 165
 versus attention deficit hyperactivity disorder, 90–91
- Sleep disorders
 adjustment, 17, 37
 behavioral, 17–18
 causes of, 18
 classification of, 36–39
 common scenarios of, 1–2
 cultural aspects of, 4–5
 definition of, 4–5
 delayed sleep phase syndrome, 18–19
 evaluation of, 2–4, 39–40, 134–135, **165–182**
 guidelines for, 7–10
 hypersomnolence. *See* Hypersomnolence.
 in medical disorders, **199–223**
 in neurocognitive dysfunction, **183–198**
 in neurologic disorders, **87–113**
 in psychiatric disorders, **49–66**
 insomnia. *See* Insomnia.
 limit-setting, 17–18, 37
 parasomnias. *See* Parasomnias.
 publications about, 2
 research on, **1–12**
 sleep apnea, 100–101. *See also*
 Obstructive sleep apnea.
 sleep entrainment, 19
 sleep fragmentation, 16, 19–23
 temperament and, 6
 treatment of, 40–46. *See also*
 specific disorders.
 nonpharmacologic, **133–149**
 pharmacologic, **115–132**
- Sleep hygiene
 for insomnia, 141
 for neurologic disorders, 104
 inadequate, 138–140
 protocol for, 41
- Sleep-onset association disorder, 38
- Sleep paralysis, 80–81, 83
- Sleep restriction
 for insomnia, 141
 neurocognitive dysfunction in, 184–185
- Sleep starts (hypnic myoclonia), 71–78
- Sleep terrors, 72–78
 in cluster headaches, 98–99
 in nocturnal frontal lobe epilepsy, 93–95
- Sleep-wake transition disorders, 69–72
- Sleepiness, excessive daytime.
See Hypersomnolence.
- Sleeptalking (somniaquy), 71–78
- Smith-Magenis syndrome, sleep disorders in, 89
- Smoking, sleep disorders from, 61–62
- Snoring
 evaluation of. *See* Sleep-disordered breathing, evaluation of.
 in obstructive sleep apnea, 154–157
 neurocognitive dysfunction in, 185–186
- Sodium oxybate, for narcolepsy, 125
- Somniaquy (sleeptalking), 71–78
- Spinal cord injury, sleep disorders in, 216
- Stimulants, for narcolepsy, 124
- Stimulus control techniques, for sleep disorders, 42–43
- Stroke, sleep disorders in, 216
- Substance abuse, sleep disorders in, 61–62
- Sudden infant death syndrome, bed-sharing and, 4–5
-
- T**
- Teeth grinding, in sleep, 82, 84–85
- Temperament, sleep disorders and, 6
- Terrors, night/sleep, 72–78
 in cluster headaches, 98–99
 in nocturnal frontal lobe epilepsy, 93–95
- Tonsils, evaluation of, in sleep-disordered breathing, 167
- Tracheotomy, for obstructive sleep apnea, 158
- Trauma, sleep disorders in, 56–57
- Trimeprazine, for insomnia, 45
- Tumors, brain, sleep disorders in, 95–97
-
- U**
- Unattended portable studies, in sleep-disordered breathing, 176–177
- Upper airway resistance syndrome, hypersomnolence in, 21
-
- V**
- Velopharyngeal insufficiency, sleep disorders in, 203, 205–206
- Video polysomnography, in parasomnias, 68–69

Videotaping

- in sleep-disordered breathing, 175
- time-lapse, in sleep disorders, 3

W

Waking, night, 135–138

Z

- Zaleplon, for insomnia, 119, 122–123
- Zolpiclone, for insomnia, 123
- Zolpidem, for insomnia, 122–123