

Index

Note: Page numbers of article titles are in **boldface** type.

A

- Achilles tendinosis, 525–526
- Aneurysmal bone cysts
 - and transarterial embolization, 540
- Angiography
 - to diagnose venous malformations, 561
- Ankle
 - intra-articular intervention of, 522
 - joint injections for, 449–450
- Arteriovenous malformation of bone
 - and transarterial embolization, 540
- Arteriovenous malformations, 547–550, 552, 554–556, 558–559, 561, 565, 573
- Arthrography
 - and hip arthroplasty, 447–448
 - and joint injections, 439–450
- Arthropathy
 - acromioclavicular, 441
- Artifact
 - and ultrasound, 515–517
- Avascular necrosis
 - and musculoskeletal biopsy, 483, 485
- AVM. See *Arteriovenous malformations*.
- AVN. See *Avascular necrosis*.

B

- Barbotage of calcifications, 523–525
- Biopsy site
 - and tumor necrosis, 477–478
- Bleeding
 - as a complication of spinal injections, 502
- Blocks
 - and spinal injections, 489–504
- Bone biopsy, 455–470, 475–486
- Bone cysts
 - aneurysmal, 540
- Bone malformation
 - arteriovenous, 540
- Bone metastases
 - and radiofrequency ablation, 606–607
- Brown fat
 - and avoiding biopsy, 484–485
- Bursitis
 - and musculoskeletal intervention, 527–529

C

- Calcific tendinosis
 - calcific stages of, 522
 - and intratendinous intervention, 522–524

- Calcifying tendinitis, 522
- Cervical spine osteoblastomas
 - and transarterial embolization, 540–541
- Computed tomography
 - to diagnose venous malformations, 557–558
 - and fluoroscopy, 499–500
 - and musculoskeletal biopsy, 464–465, 475–486
 - and radiofrequency ablation, 600–601, 603, 605–607
- Corticosteroids
 - and musculoskeletal intervention, 517–518
 - and spinal injections, 489–490, 504
 - and suggestions for injection into soft tissues and joints, 518

D

- Direct percutaneous phlebography
 - to diagnose venous malformations, 560–561
 - and sclerotherapy of venous malformations, 574–576
- Distal radioulnar joint
 - injections to, 444–445
- DRUJ. See *Distal radioulnar joint*.

E

- Elbow
 - intra-articular intervention of, 520–521
 - joint injections for, 442–443
- Embolization coils, 541
- Embolization of musculoskeletal tumors, **535–543**
- Embolization of venous malformations, 561, 569, 572, 575, 579, 586, 588
- Embosphere microspheres
 - and transarterial embolization, 536–537
- Endothelial-pericyte interactions
 - and venous malformations, 551–552
- Epidural steroid injections, 491–495
- ESI. See *Epidural steroid injections*.
- Ethanol
 - and sclerotherapy of venous malformations, 568–569
- Ethanolamine oleate
 - and sclerotherapy of venous malformations, 571–572

F

- Facet-mediated spinal pain, 495–499
- FDG. See *Fluorodeoxyglucose*.
- Field of view

Field (*continued*)

- and positron emission tomography-computed tomography, 479–480
- Fine-needle aspiration cytology, 457, 459, 461–462, 465–468
- Fluorodeoxyglucose-avid osteoarthritis and avoiding biopsy, 485
- Fluorodeoxyglucose and uptake in lesions, 480–486
- Fluorodeoxyglucose-avid muscle activity and avoiding biopsy, 484–485
- Fluoroscopy and computed tomography, 499–500 and musculoskeletal biopsy, 463
- FNAC. See *Fine-needle aspiration cytology*.

G

- Ganglion cysts and musculoskeletal intervention, 528–530
- Gelatin sponge and transarterial embolization, 537–538
- Giant cell tumors and transarterial embolization, 539–540

H

- Hemangiomas and venous malformations, 545–550 and vertebroplasty, 611–612, 623, 627
- Hip intra-articular intervention of, 521 joint injections for, 445–447

I

- Image-guided musculoskeletal biopsy, **455–473**
- Infection as a complication of spinal injections, 502
- Interventional radiology and radiofrequency ablation, 599–609 and vascular malformations, 550, 576–577, 583, 586, 589 and venous malformations, 565
- Intra-articular intervention, 518–522 of the ankle joint, 522 of the elbow joint, 520–521 of the hip joint, 521 of the knee joint, 521–522 of the shoulder joint, 519–520
- Intratendinous intervention, 522–528 and calcific tendinosis, 522–524 and noncalcific tendinosis, 524–528

J

- Joint injections, 439–450
- Jumper's knee and prolotherapy, 527

K

- Klippel-Trénaunay syndrome and venous malformations, 552–554, 556–557, 559, 561, 586–587, 590
- Knee intra-articular intervention of, 521–522 joint injections for, 447–449
- Kyphoplasty, 624–626

L

- LM. See *Lymphatic malformations*.
- Lymphatic malformations, 547–550, 553–556, 558, 560–561, 566, 573

M

- Maffucci's syndrome and venous malformations, 554, 556
- Magnetic resonance imaging to diagnose venous malformations, 558–560 and musculoskeletal biopsy, 464
- Metastases and musculoskeletal biopsy, 479–482 and radiofrequency ablation, 606–607 and transarterial embolization, 538–539
- Metastatic spinal tumors and transarterial embolization, 539
- Musculoskeletal biopsy anatomical route of, 458–459 and avascular necrosis, 484–485 complications of, 469–470 and computed tomography, 464–465 expected results of, 467–468 and field of view, 479–480 and fluorodeoxyglucose activity of lesions, 480–481 and fluoroscopy, 463 guided by positron emission tomography-CT imaging, 475–486 and handling of specimens, 465–466 image-guided, 455–470 indications and contraindications for, 455–456 and lesion characteristics, 459–460 and magnetic resonance imaging, 464 and metastases, 479–482 and needle types, 460–62 percutaneous or open, 456–457 positioning of patient for, 458

- and postprocedure routines, 468
- preparation for, 458
- of the primary lesion, 476–479
- and reasons to avoid biopsy, 485
- and repeat biopsy, 483–484
- safety of, 457–458
- and spatial resolution, 481–482
- techniques for, 461
- tips for success, 466–467
- and tumor heterogeneity, 476–477
- and tumor upstaging, 478–479
- and ultrasound, 463–464
- Musculoskeletal diseases, 455–470, 475–486
- Musculoskeletal intervention, 455–470, 475–486, 515–530
 - and corticosteroids, 517–518
 - of ganglion cysts and bursae, 528–530
 - intra-articular, 518–522
 - intratendinous, 518–522
 - medications used in, 517–518
- Musculoskeletal interventional radiology:
 - radiofrequency ablation, **599–610**
- Musculoskeletal tumors
 - transarterial embolization of, 535–541
- Musculoskeletal ultrasound intervention: principles and advances, **515–533**

N

- Nerve root injections, 489–492
 - computed tomography-guided, 491–492
- Noncalcific tendinosis
 - and intratendinous intervention, 524–528
 - prolotherapy for, 525–528
- Nuclear medicine
 - to diagnose venous malformations, 561

O

- Orthopedic imaging, 455–470, 475–486
- Osteoblastomas
 - of the cervical spine, 540–541
- Osteoid osteomas
 - and radiofrequency ablation, 599–602, 604–607
- Osteosarcoma
 - and transarterial embolization, 540

P

- Percutaneous vertebral augmentation:
 - vertebroplasty, kyphoplasty and skyphoplasty, **611–635**
- Plantar fasciitis
 - and prolotherapy, 527
- PMM. See *Polymethylmethacrylate*.
- Polidocanol

- and sclerotherapy of venous malformations, 570, 571
- Polymethylmethacrylate
 - and vertebroplasty, 611–612, 616–617, 620–622
- Polyvinyl alcohol particles
 - and transarterial embolization, 536
- Positron emission tomography
 - and musculoskeletal biopsy, 475–486
- Positron emission tomography-computed tomography
 - and field of view, 479–480
 - and spatial resolution, 479–480
- Positron emission tomography–CT imaging in guiding musculoskeletal biopsy, **465–486**
- Prolotherapy
 - for noncalcific tendinosis, 525–528
- PVA. See *Polyvinyl alcohol particles*.

R

- Radiofrequency ablation
 - and bone metastases, 606–607
 - and cementoplasty in metastatic disease, 607
 - and clinical follow-up, 607–608
 - and computed tomography, 600–601, 603, 605–607
 - and follow-up imaging, 607
 - indications for, 603–605
 - and interventional radiology, 599–609
 - and osteoid osteomas, 599–602, 604–607
 - physics of, 600
 - in primary bone tumors, 605–606
 - principal of, 599–600
 - technique of, 600–603
 - ultrasound-guided, 599–601
- Radiography
 - to diagnose venous malformations, 553–555
- Repeat biopsy, 483–484
- RFA. See *Radiofrequency ablation*.
- Rhizotomy
 - and spinal injections, 495, 498, 503

S

- Sclerotherapy of venous malformations, 566–590
 - and administration of sclerosant, 575–579
 - and completion of the procedure, 583
 - complications of, 588–589
 - and direct percutaneous phlebography, 574–576
 - and ethanol, 568–569
 - and ethanolamine oleate, 571–572
 - and lesion morphology, 574–575
 - major agents for, 568–573
 - and outcomes in Klippel-Trénaunay syndrome, 590
 - and patient follow-up, 585–586

Sclerotherapy (*continued*)

- patient preparation for, 573–574
- and polidocanol, 570, 571
- and postprocedure management, 583–585
- rationale for, 566–568
- and sodium tetradecyl sulfate, 569–570
- and technical challenges and modifications, 579–583
- therapeutic efficacy of, 589–590
- therapeutic issues specific to, 586–588

Shoulder

- adhesive capsulitis of, 440–441
- intra-articular intervention of, 519–520
- joint injections for, 440–442

Skypoplasty, 626–627

Sodium tetradecyl sulfate

- and sclerotherapy of venous malformations, 569–570

Spatial resolution

- and positron emission tomography-computed tomography, 479–480

Spinal injection procedures: a review of concepts, controversies, and complications, **487–514**

Spinal injections, 487–505

- and bleeding, 502
- and blocks, 489–504
- complications of, 502–505
- and corticosteroids, 489–490, 504
- epidural steroid, 491–495
- for facet-mediated spinal pain, 495–499
- and infections, 502
- medications for, 489
- of the nerve root, 489–492
- and rhizotomy, 495, 498, 503
- and stroke, 503–504
- and synovial cysts, 500–502

Spinal pain

- percutaneous procedures for, 487–488, 495–499

Stroke

- as a complication of spinal injections, 503–504

Synovial cysts

- and spinal injections, 500–502

T

TAE. See *Transarterial embolization*.

TFC. See *Triangular fibrocartilage complex*.

Therapeutic and diagnostic joint injections, **439–453**

Transarterial embolization

- and aneurysmal bone cysts, 540
- and arteriovenous malformation of bone, 540
- and cervical spine osteoblastomas, 540–541
- and choice of embolic material, 536
- contraindications to, 538
- and embosphere microspheres, 536–537
- and gelatin sponge, 537–538

- and giant cell tumors, 539–540
- and liquid agents, 538
- and metastases, 538–539
- and metastatic spinal tumors, 539
- of musculoskeletal tumors, 535–541
- and osteosarcoma, 540
- and polyvinyl alcohol particles, 536
- preoperative, 538
- and vertebral hemangioma, 540

Triangular fibrocartilage complex

- tears of, 443–444

Tumor heterogeneity

- and musculoskeletal biopsy, 476–477

Tumor necrosis

- and biopsy site, 477–478

Tumor upstaging

- and musculoskeletal biopsy, 478–479

U

Ultrasound

- and artifact, 515–517
- to diagnose venous malformations, 555–557
- and musculoskeletal biopsy, 463–464
- and musculoskeletal intervention, 515–530
- and radiofrequency ablation, 599–601

V

Vascular anomalies

- classification of, 546–548

Vascular defects

- anatomopathologic classification of, 547

Vascular lesions

- classification in infants and children, 547

Vascular malformations, 545–590

- interventional radiologic management of, 550, 576–577, 583, 586, 589

Vascular morphogenesis, 550–551

Venous malformations

- classic type, 552–553
- classification of, 546–548
- clinical presentation and diagnosis of, 552–553
- comparative anatomy of, 548–550
- comparative imaging diagnosis of, 553–562
- and computed tomography, 557–558
- conservative management of, 564
- and conventional radiography, 553–555
- developmental etiology of, 550–552
- and diagnostic angiography, 561
- diagnostic imaging algorithm of, 561–562
- and direct percutaneous phlebography, 560–561, 574
- and embryology, 550–551
- and endothelial-pericyte interactions, 551–552
- gross inspection of, 548

- and hemangiomas, 545–550
 - image-guided sclerotherapy of, 566–590
 - immunohistochemical staining of, 549–550
 - indications for intervention in, 564–565
 - and Klippel-Trénaunay syndrome, 552–554, 556–557, 559, 561, 586–587, 590
 - and Maffucci's syndrome, 554, 556
 - and magnetic resonance imaging, 558–560
 - microscopy of, 548–549
 - and molecular genetics, 551–552
 - multidisciplinary approach to therapy for, 562–564
 - and nuclear medicine, 561
 - and surgery versus interventional radiology, 565
 - syndromes involving, 553–554
 - and ultrasound, 555–557
- Venous malformations: classification, development, diagnosis, and interventional radiologic management, **545–597**
- Vertebral hemangioma
- and transarterial embolization, 540
- Vertebroplasty, 611–623
- and cement extravasation, 619–620
 - clinical outcome of, 623
 - contraindications to, 612–613
 - and hemangiomas, 611–612, 623, 627
 - indications for, 612
 - and polymethylmethacrylate, 611–612, 616–617, 620–622
 - potential hazards of, 618–623
 - preliminary assessment for, 613–614
 - and refracture, 621–622
 - and technical considerations, 614–618
- VM. See *Venous malformations*.

W

Wrist

- and distal radioulnar joint injections, 444–445
- joint injections for, 443–445
- tears of triangular fibrocartilage complex, 443–444