

Index

Note: Page numbers of article titles are in **boldface** type.

A

- Aesthetic options, with two jaw surgery, **423–433**
analysis, 425–428
discussion, 431–432
model surgery, 430–431
prediction, 428–430
- Aesthetic surgery, to augment orthognathic surgery, **435–447**
case presentations, 444–447
procedures, 435–443
cervicoplasty, 438–439
genioplasty, 435–438
malaroplasty, 441–443
rhinoplasty, 439–441
summary, 443
- Airway issues, skeletal surgery for, **381–393**
patient assessment, 381–382
procedures, 385–391
genial region, 390–391
mandibular, 388–389
maxillary, 385–388
- Anchors, implanted, in correction of skeletal open bite, 343–344
- Anterior open bite, correction by Le Fort I or bilateral sagittal split osteotomy, **321–338**
treatment in growing individuals, 323
treatment in non-growing individuals, 323–335
combined orthodontic and surgical treatment, 325–335
orthodontic correction, 323–325
diagnosis, 322–323
etiology, 321–322
- Anterior segmental osteotomies, for correction of facial skeletal deformities, 370–377
- Aseptic necrosis, after surgery for maxillary transverse deficiency, 357–358
- Asymmetry, facial. *See* Facial asymmetry.
- Atrophy, hemifacial, 401

B

- Bilateral sagittal split osteotomy, for mandibular advancement, 313
for mandibular setback, 314
- Bite, open. *See* Open bite.

C

- Cephalometry, 3-D, with computed tomography, for orthognathic surgery, 289–292
- Cervicoplasty, to augment orthognathic surgery, 438–439
- Children, anterior open bite correction in, 323
- Clefting conditions, unilateral, 400
- Computed tomography (CT), visual assessment with, for orthognathic surgery, 289–292
3-D cephalometry, 290–291
cone beam, 290
conventional, 290
radiation exposure and risk-benefit ratio, 291–292
volumetric imaging, 289–292
- Condylar hyperplasia, 411–415
classification, 411–412
patient evaluation, 412–413
treatment, 413–415
- Condylar hypoplasia, 415–418
- Cone beam computed tomography, for orthognathic surgery, 290
- Costochondral graft overgrowth, 410

D

- Dental models, 3-D, in orthognathic surgery, 295
- Dental open bite, 340
- Devitalization, of teeth, after surgery for maxillary transverse deficiency, 358
- Digital imaging, for visual assessment for orthognathic surgery, 289

Distraction osteogenesis, stability of, 315–318
 mandibular movements, 316–318
 maxillary movements, 315–316

F

Facial asymmetry, management of, **395–422**
 condylar and hemimandibular hyperplasia, 411–415
 condylar hypoplasia, 415–418
 costochondral graft overgrowth, 410
 frontal plagiocephaly, 395–400
 hemifacial atrophy, 401
 hemifacial hyperplasia, 400–401
 hemifacial microsomia, 402–410
 torticollis, 400
 unilateral cleft conditions, 400

Facial-skeletal deformities, correction of, **369–379**
 anterior segmental osteotomies, 370–377
 midline osteotomy, 377–378
 midline osteotomy, 378–379

Fistula, palatal, after surgery for maxillary transverse deficiency, 358–359

Frontal plagiocephaly, 395–400

G

Genial region, skeletal surgery of, for airway issues, 390–391
 advancement, 390–391
 downgraft and vertical reduction, 391
 setback, 391

Genioplasty, to augment orthognathic surgery, 435–438

H

Hemifacial atrophy, 401

Hemifacial hyperplasia, 400–401

Hemifacial microsomia, 402–410
 classification, 403
 general treatment principles, 404–406
 management of, 406–410
 soft tissue correction in types I–III, 409–410
 type I, 406–407
 type IIA, 407
 type IIB, 407–408
 type III, 408
 types I–III with distraction osteogenesis, 408–409
 patient evaluation, 403

Hemimandibular hyperplasia, 411–415

classification, 411–412
 patient evaluation, 412–413
 treatment, 413–415

Hyperplasia, condylar and hemimandibular, 411–415
 classification, 411–412
 patient evaluation, 412–413
 treatment, 413–415
 hemifacial, 400–401

Hypoplasia, condylar, 415–418

I

Imaging, three-dimensional, for assessment and treatment simulation in orthognathic surgery, **287–309**
 applications of, 295–307
 assessment of surgical treatment outcomes, 296
 case presentations, 303–307
 cephalometry, 295
 enhanced diagnostic information, 295–296
 virtual patient modeling, 296–303
 contemporary and evolving, 289–295
 computed tomography (CT) for volumetric imaging and 3D cephalometry, 289–292
 dental models, 295
 surface imaging, 292–295
 conventional, 287–289
 cephalometric radiography, 287–288
 digital imaging, 289
 extraoral and intraoral photographs, 289
 panoramic projections, 288–289

Implants, in correction of skeletal open bite, **339–350**

L

Laser-based systems, for imaging assessment for orthognathic surgery, 292–294

Le Fort I osteotomy, correction of anterior open bite with maxillary, 325–330
 segmental, for maxillary transverse deficiency, 364–365
 stability of, 311–312

M

Malaroplasty, to augment orthognathic surgery, 441–443

Mandibular osteotomy, stability of, 312–313

- Mandibular surgery, skeletal, for airway issues, 388–389
 advancement, 388
 expansion and narrowing, 389
 setback, 388–389
- Maxillary osteotomy, correction of anterior open bite with, 325–330
 stability of, 311–312
- Maxillary surgery, skeletal, for airway issues, 385–388
 advancement, 385–386
 downgraft, 386–387
 expansion and narrowing, 387–388
 impaction, 386
- Maxillary transverse deficiency, surgical alternatives to management, **351–368**
 history of transverse expansion, 352–356
 indications for procedures, 356
 morbidity, 356–360
 orthodontic preparation, 360
 stability, 360–361
 surgical procedures, 362–365
 segmental Le Fort I osteotomy, 362–364
 surgically assisted rapid maxillary expansion, 364–365
 surgical time and cost, 361–362
 the deformity, 351–352
- Microsomia, hemifacial, 402–410
- Midline ostectomy, for correction of facial-skeletal deformities, 377–378
- Midline osteotomy, for correction of facial-skeletal deformities, 378–379
- N**
-
- Necrosis, after surgery for maxillary transverse deficiency, aseptic, 357–358
 soft tissue, 359
- Neurologic complications, after surgery for maxillary transverse deficiency, 359–360
- O**
-
- Open bite, anterior, correction by Le Fort I or bilateral sagittal split osteotomy, **321–338**
 diagnosis, 322–323
 etiology, 321–322
 treatment in growing individuals, 323
 treatment in non-growing individuals, 323–335
 combined orthodontic and surgical treatment, 325–335
 orthodontic correction, 323–325
 dental, 340
 etiology of, 339
 skeletal, correction with anchored molar/bicuspid intrusion, **339–350**
 case presentations, 344–347
 discussion, 347–348
 literature review, 339–341
 materials and methods for, 341–344
 indications, 341
 presurgical orthodontics and treatment planning, 341–343
 skeletal anchor surgery, 343–344
- Orthodontics, anterior open bite correction with, 323–325
 combined with surgery, 325–335
 open bite treatment with, 340–341
- Orthognathic surgery, 287–447
 aesthetic surgery to augment, **435–447**
 case presentations, 444–447
 procedures, 435–443
 summary, 443
 anterior open bite correction, **321–338**
 diagnosis, 322–323
 etiology, 321–322
 treatment in growing individuals, 323
 treatment in non-growing individuals, 323–335
 combined orthodontic and surgical treatment, 325–335
 orthodontic correction, 323–325
 for airway issues, **381–393**
 patient assessment, 381–382
 procedures, 385–391
 genial region, 390–391
 mandibular, 388–389
 maxillary, 385–388
 skeletal surgery and airway-related issues, 382–385
 for facial asymmetry, **395–422**
 condylar and hemimandibular hyperplasia, 411–415
 condylar hypoplasia, 415–418
 costochondral graft overgrowth, 410
 frontal plagiocephaly, 395–400
 hemifacial atrophy, 401
 hemifacial hyperplasia, 400–401
 hemifacial microsomia, 402–410
 torticollis, 400
 unilateral cleft conditions, 400
 for facial-skeletal deformities, **369–379**
 anterior segmental osteotomies, 370–377
 midline ostectomy, 377–378

Orthognathic (*continued*)

- midline osteotomy, 378–379

- for maxillary transverse deficiency, **351–368**

- history of transverse expansion, 352–356

- indications for procedures, 356

- morbidity, 356–360

- orthodontic preparation, 360

- stability, 360–361

- surgical procedures, 362–365

- segmental Le Fort I osteotomy, 362–364

- surgically assisted rapid maxillary expansion, 364–365

- surgical time and cost, 361–362

- the deformity, 351–352

- for skeletal open bite correction,

- implant-assisted, **339–350**

- case presentations, 344–347

- discussion, 347–348

- literature review, 339–341

- materials and methods for, 341–344

- imaging for assessment and treatment

- simulation in, **287–309**

- applications of, 295–307

- contemporary and evolving 3D imaging, 289–295

- conventional imaging, 287–289

- stability of, **311–320**

- compared with distraction osteogenesis, 315–318

- mandibular movements, 316–318

- maxillary movements, 315–316

- resorbable plating systems, 314–315

- review of, 311–314

- bilateral sagittal split osteotomy

- mandibular advancement, 313

- bilateral sagittal split osteotomy

- mandibular setback, 314

- mandibular osteotomies, 312–313

- maxillary (Le Fort I) osteotomies, 311–312

- vertical ramus osteotomy mandibular setback, 313–314

- two jaw surgery, aesthetic options with,

- 423–433**

- analysis, 425–428

- discussion, 431–432

- model surgery, 430–431

- prediction, 428–430

- Ostectomy, midline, for correction

- of facial-skeletal deformities, 377–378

- Osteogenesis, distraction, stability of, 315–318

- mandibular movements, 316–318

- maxillary movements, 315–316

- Osteotomy, for correction of facial-skeletal deformities, **369–379**

- anterior segmental osteotomies, 370–377

- midline osteotomy, 377–378

- midline osteotomy, 378–379

- stability of, 311–314

- bilateral sagittal split, with mandibular advancement, 313

- with mandibular setback, 314

- mandibular, 312–313

- maxillary, 311–312

- vertical ramus, with mandibular setback, 313–314

P

- Palatal fistula, after surgery for maxillary transverse deficiency, 358–359

- Panoramic projections, for visual assessment for orthognathic surgery, 288–289

- Periodontal morbidity, after surgery for maxillary transverse deficiency, 359

- Photographs, extraoral and intraoral, for visual assessment for orthognathic surgery, 289

- Plagiocephaly, frontal, 395–400

R

- Radiation exposure, with 3-D imaging for orthognathic surgery, 291–292

- Radiography. *See also* Imaging.

- cephalometric, in orthognathic surgery, 287–288

- Rapid maxillary expansion, surgically assisted, for maxillary transverse deficiency, procedure for, 364–365

- stability after, 360–361

- Resorbable plating systems, stability of, for orthognathic surgery, 314–315

- Rhinoplasty, to augment orthognathic surgery, 439–441

S

- Simulation, surgical, in orthognathic surgery, 296–303

- 3-D virtual patient modeling for, 296–298

- of surgical moves and soft tissue changes, 298–300

- virtual model surgery, 300–303

- Skeletal open bite, correction with anchored molar/bicuspid intrusion, **339–350**

case presentations, 344–347
 discussion, 347–348
 literature review, 339–341
 materials and methods for, 341–344
 indications, 341
 presurgical orthodontics and treatment
 planning, 341–343
 skeletal anchor surgery, 343–344
 Skeletal surgery. *See* Orthognathic surgery.
 Soft tissue necrosis, after surgery for maxillary
 transverse deficiency, 359
 Stability, of orthognathic surgery, **311–320**
 compared with distraction osteogenesis,
 315–318
 mandibular movements, 316–318
 maxillary movements, 315–316
 resorbable plating systems, 314–315
 review of, 311–314
 bilateral sagittal split osteotomy
 mandibular advancement, 313
 bilateral sagittal split osteotomy
 mandibular setback, 314
 mandibular osteotomies, 312–313
 maxillary (Le Fort I) osteotomies,
 311–312
 vertical ramus osteotomy mandibular
 setback, 313–314
 Surface imaging, for orthognathic surgery,
 292–295
 current status of, 295
 laser-based vs. photography-based, 292–294

parameters of, 294–295

Surgery, orthognathic. *See* Orthognathic surgery.

T

Teeth, devitalization of, after surgery for
 maxillary transverse deficiency, 358

Torticollis, 400

Transverse maxillary deficiency. *See* Maxillary
 transverse deficiency.

Two jaw surgery, aesthetic options with, **423–433**
 analysis, 425–428
 discussion, 431–432
 model surgery, 430–431
 prediction, 428–430

U

Unilateral clefting conditions, 400

V

Vascular complications, after surgery for
 maxillary transverse deficiency, 359

Vertical ramus osteotomy, for mandibular
 setback, 313–314

Virtual model surgery, to simulate orthognathic
 surgery, 300–303

Volumetric imaging, with computed tomography
 prior to orthognathic surgery, 289–292