



Cumulative Index 2003

Volume 14

February	LUMBOSACRAL SPINAL STENOSIS, pages 1–161
May	ELECTRODIAGNOSIS IN NEUROMUSCULAR DISORDERS, pages 163–453
August	NECK PAIN: PRESPECTIVES AND STRATEGIES FOR THE NEW MILLENNIUM, pages 455–702
November	APPLICATIONS OF BOTULINUM TOXIN IN PHYSICAL MEDICINE AND REHABILITATION, pages 703–935

Note: Page numbers of article titles are in **boldface** type.

A

- Abscesses, epidural, and neck pain,
imaging of, 530
- Acetaminophen, for neck pain, 631
- Acid maltase deficiencies, electrodiagnosis
of, 420, 422
- Acquired peripheral neuropathy, **365–386**
classification of, 371–382
axonal, mixed sensory and
motor, diffuse, 374–376
axonal, mixed sensory and
motor, multifocal, 376
axonal, motor greater than
sensory, diffuse, 376–377
axonal, motor greater than
sensory, multifocal, 377–378
axonal, sensory greater than
motor, diffuse, 379–380
axonal, sensory greater than
motor, multifocal, 380–381
demyelinating, mixed sensory
and motor, diffuse, 371
demyelinating, mixed sensory
and motor, multifocal,
371–373
demyelinating, motor greater
than sensory, multifocal,
373–374
mixed axonal and demyelinating,
sensory and motor, diffuse,
381–382
electrodiagnosis of, 367–370
needle electrode examination in,
370
nerve conduction studies in,
368–370
patient history of, 367
physical examination for, 367–368
- Active adaptation, for neck pain, 655–657
- Acupuncture, for neck pain, 662–663
- Acute inflammatory demyelinating
polyradiculoneuropathy,
electrodiagnosis of, 171, 174, 372
in children, 436–437
- Acute motor axonal neuropathy,
electrodiagnosis of, 377–378
- Acute transverse myelitis, and neck pain,
imaging of, 526
- Adducted shoulder, in upper motoneuron
syndrome, 862–865
- Adducted thigh, in upper motoneuron
syndrome, 877–878
- Adrenal disorders, myopathies with,
electrodiagnosis of, 427
- Adrenergic function, in autonomic
nervous system evaluation, 294–296
- AIDS, myelopathy with, and neck pain,
imaging of, 531
- Alcoholic neuropathy, electrodiagnosis of,
176, 374
- Alkaline phosphatase, in neck pain, 600–601
- Alpha₂-adrenergic agonists, for spinal
cord injury, botulinum toxin with, 904

- Amphetamine, in motor recovery, after stroke, **S125–S134**
 Amphetamine-enhanced Stroke Recovery Trial of, S130–S131
 clinical studies on, S128–S130
 concomitant behavioral experience and, S126–S127
 dose-effect curve of, S126
 recovery process impairment in, S126
 timing of, S126
- Amputation, phantom limb pain after, constraint-induced movement therapy for, S87–S88
- Amyloid neuropathy, autonomic nervous system in, 300
- Amyotrophic lateral sclerosis, clinical features of, 330–332
 electrodiagnosis of, 179–180
 motor unit number estimation in, 253–255
 epidemiology of, 327–328
 transcranial magnetic stimulation in, 320
- Anal fissure, neurologic injuries and, botulinum toxin for, 801–802
- Anesthetic blocks, diagnostic, for lumbar spinal stenosis, 112
- Anesthetics, in epidural steroid injections, 132–133
- Anhidrosis, chronic idiopathic, autonomic nervous system in, 301
- Anismus, neurologic injuries and, botulinum toxin for, 800–802
- Ankle disorders, in children, botulinum toxin for, 708
- Ankylosing spondylitis, and neck pain, imaging of, 522
 laboratory tests for, 596–597
- Anterior cervical discectomy and fusion, for radiculopathy, 680–681, 682
- Antibody formation, botulinum toxin and, in cervical dystonia, 764
- Anticholinergic drugs, for cervical dystonia, 754–755
- Anticonvulsants, for neck pain, 635
- Antineutrophil cytoplasmic antibody assay, in neck pain, 599
- Antinuclear antibodies, in neck pain, 598–599
- Aphasia, constraint-induced movement therapy for, S88
- Arteriovenous malformations, and neck pain, imaging of, 526–528
- Arthritis, and neck pain, 484
 imaging of, 519–525
 laboratory tests for, 596–597
- Arthropathies, inflammatory, and neck pain, 464
- Aspirin, for neck pain, 632
- Astrocytomas, and neck pain, imaging of, 507
- Atlanto-axial subluxation, and neck pain, imaging of, 519–521
- Auriculotemporal syndrome, botulinum toxin for, 847–849
- Autoantibodies, in neck pain, 597–598
- Autogenic relaxation, for neck pain, 654
- Autoimmune disorders, and neck pain, 486–487
- Autonomic nervous system, evaluation of, **287–305**
 adrenergic function tests in, 294–296
 blood pressure response to head-upright tilt in, 295–296
 blood pressure response to Valsalva maneuver in, 294–295
 cardiovagal function tests in, 293–294
 heart rate response to deep breathing in, 293
 heart rate response to standing up in, 294
 in acute autonomic neuropathies, 296
 in amyloid neuropathy, 300
 in botulism, 298–299
 in chronic idiopathic anhidrosis, 301
 in diabetic autonomic neuropathy, 300
 in drug- or toxin-induced autonomic neuropathies, 300
 in familial dysautonomia, 300
 in multiple system atrophy, 301
 in orthostatic hypotension, 302–303

- in orthostatic intolerance, 302–303
- in porphyria, 299–300
- in pure adrenergic neuropathy, 301
- in pure autonomic failure, 301
- in small-fiber sensory neuropathies, 301–302
- in syncope, 302–303
- quantitative sudomotor axon reflex tests in, 289–290
- sympathetic skin responses in, 292
- thermoregulatory sweat test in, 290–291
- Valsalva ratio in, 293–294
- Axillary hyperhidrosis. *See* Hyperhidrosis.
- Ayurvedic, for neck pain, 663–664
- B**
-
- Baclofen, for neck pain, 636
- for spinal cord injury, botulinum toxin with, 903, 904
- Basic fibroblast growth factor, in motor recovery, after stroke, S17, S137–S139
- Beck Depression Inventory, of psychological factors, in neck pain, 583
- Becker muscular dystrophy, electrodiagnosis of, 407–409
- Behavioral therapy, for neck pain, 622, 650–652
- Benign prostatic hyperplasia, neurologic injuries and, botulinum toxin for, 802–803
- Benzodiazepines, for cervical dystonia, 755
- for spinal cord injury, botulinum toxin with, 903
- Biceps reflex, in physical examination, for neck pain, 482
- Bio-Thesiometer, in quantitative sensory testing, 271–272
- Biofeedback, for neck pain, 652–655
- Biofeedback-mediated neuromuscular electrical stimulation, in motor recovery, after stroke, S97–S98
- Biopsy, for neck pain, 602
- Bladder dysfunction, neurologic injuries and. *See* Neurologic injuries.
- Blood pressure responses, in autonomic nervous system evaluation, 294–296
- Bobath technique, in motor recovery, after stroke. *See* Treadmill with body weight support.
- BOLD technique, of functional magnetic resonance imaging, after stroke, S47, S51
- Bone tumors, and neck pain, imaging of, 513–514, 516–519
- Botox. *See* Botulinum toxin.
- Botulinum toxin, electromyographic guidance in. *See* Electromyography.
- for bowel and bladder dysfunction, in neurologic injuries. *See* Neurologic injuries.
- for cervical dystonia. *See* Cervical dystonia.
- for chronic tension-type headaches, 885–887
- clinical trials of, 893–896
- for drooling, 713, 849–850
- for hyperhidrosis. *See* Hyperhidrosis.
- for migraine headaches, 885–887
- clinical trials of, 887, 889–896
- for neck pain, 637
- for orofacial disorders. *See* Orofacial disorders.
- for pain management. *See* Pain management.
- for pediatric disorders. *See* Pediatric disorders.
- for spasmodic dysphonia. *See* Spasmodic dysphonia.
- for spasticity. *See* Spasticity.
- Botulism, autonomic nervous system in, 298–299
- electrodiagnosis of, 179
- single-fiber electromyography in, 221
- repetitive nerve stimulation and exercise testing in. *See* Neuromuscular junction disorders.
- Bowel dysfunction, neurologic injuries and. *See* Neurologic injuries.
- Brachial plexitis, and neck pain, 486–487
- Brachioradialis reflex, in physical examination, for neck pain, 482
- Brain injury, spasticity in, botulinum toxin for, 827–830

Brunnstroehm technique, in motor recovery, after stroke. *See* Treadmill with body weight support.

Bruxism, botulinum toxin for, 728, 731

C

CA-6000 spinal analysis, of range of motion, in neck pain, 574

Calcium pyrophosphate deposition disease, and neck pain, imaging of, 524

Capsaicin, for neck pain, 637

Capsular tightness, of hip, manual therapy for, 114

Cardiovascular function, in autonomic nervous system evaluation, 293–294

Cardiovascular effects, of treadmill with body weight support, in motor recovery, after stroke, S118

Carnitine deficiency, electrodiagnosis of, 423

Carnitine palmitoyltransferase II deficiency, electrodiagnosis of, 423

Carpal tunnel syndrome, quantitative sensory testing in, 280

CASE III system, in quantitative sensory testing, 271

CASE IV system, in quantitative sensory testing, 268

CASE IV thermal testing probe, in quantitative sensory testing, 273–274

CASE IV vibration stimulator, in quantitative sensory testing, 272

Casting, of extremities, in children, botulinum toxin with, 717–718

Caudal approach, to epidural steroid injections, for lumbar spinal stenosis, 123, 127, 134

Central cord syndrome, and neck pain, 484–485

Central core disease, electrodiagnosis of, 414

Centronuclear myopathy, electrodiagnosis of, 418

Cerebral blood flow, in functional magnetic resonance imaging, after stroke, S51

Cerebral palsy, spasticity in, botulinum toxin for, 824–826

Cerebrospinal fluid analysis, in neck pain, 602

Cervical dystonia, 749–766

and neck pain, 464

diagnosis of, 749–754

crucial examination findings, 752–753

distinctive features on interview, 750–752

electromyography in, 753–754

features apparent by inspection, 749–750

management of, 754–760, 762–765
botulinum toxin in, 756–760, 762–765

challenges in, 756–757

choice of agent in, 757

dose per muscle in, 760

electromyography-guided versus blind injections in, 762

injection site selection in, 760, 762

interval between injections in, 762

mechanism of action of, 764–765

muscle identification in, 757–758

muscle selection in, 758–759
number of muscles in, 759–760

side effects of, 763–764
starting dose selection in, 757

oral medications in, 754–755
surgical, 755–756

Cervical facet blocks, for neck pain, 538–540

Cervical radiculopathy, etiology of, 456–458

surgical management of, 679, 680–683

versus neck pain, 455–456, 485–486, 551

Charcot-Marie-Tooth disease. *See* Hereditary motor and sensory neuropathies.

Chiari malformations, and neck pain, imaging of, 532

Chiropractic, for neck pain, 611, 614–615, 618, 666–667

Chronic idiopathic anhidrosis, autonomic nervous system in, 301

- Chronic inflammatory demyelinating polyradiculoneuropathy, electrodiagnosis of, 174–175, 372
- Clenched fist, in upper motoneuron syndrome, 871–874
- Co-contraction, in upper motoneuron syndrome, 859–860
- Cognitive-behavioral therapy, for neck pain, 622, 650–652
- Colchicine-induced neuropathy, electrodiagnosis of, 375
- Cold therapy, for neck pain, 618–619
- Complementary and alternative medicine, for neck pain, **659–674**
 acupuncture in, 662–663
 Ayurvedic in, 663–664
 chiropractic in, 611, 614–615, 618, 666–667
 herbal medicine in, 668
 homeopathy in, 667–668
 laser therapy in, 621–622, 670–671
 magnetic therapy in, 620, 668–669
 massage and shiatsu in, 610–611, 660–662
 yoga in, 665–666
- Compression fractures, vertebral, benign versus malignant, 542
- Computed tomography, of lumbar spinal stenosis, 6, 44–46, 48
- Computed tomography myelography, of neck pain, 494–495
- Congenital hypomyelinating neuropathy, electrodiagnosis of, 349
- Constraint-induced movement therapy, for aphasia, S88
 for focal hand dystonia, S87
 for phantom limb pain, S87–S88
 for traumatic brain injuries, S86
 in children, S86–S87
 in motor recovery, after stroke, S2–S3, S69, **S77–S91**
 animal model of, S78–S81
 clinical studies on, S82–S84
 functional magnetic resonance imaging in, S81–S82
 indications for, S85
 limitations of, S84–S85
 transcranial magnetic stimulation in, S81
- Contrast media, in epidural steroid injections, adverse reactions to, 133–134
- Coordinate Measuring System, of range of motion, in neck pain, 574
- Core strengthening exercises, for lumbar spinal stenosis, 115
- Corpectomy, for myelopathy, 685
- Cortical motor topography, neuroplasticity in, after stroke, S8–S10
 shaping of, after stroke, S59–S66
- Cortical reorganization, in motor recovery, after stroke. *See* Neuroplasticity.
- Cortical stimulation techniques, in motor recovery, after stroke, S59–S60
- Corticosteroid myopathy, electrodiagnosis of, 427
- Corticosteroids, for neck pain, 633
- COX-2 inhibitors, for neck pain, 632–633
- Craniofacial hyperhidrosis, botulinum toxin for, 847
- C-reactive protein, in neck pain, 594–595
- Critical illness myopathy, electrodiagnosis of, 428–429
 in children, 437–438
- Critical illness neuropathy, electrodiagnosis of, 375–376
 in children, 437–438
- Cushing's syndrome, epidural steroid injections and, 131–132
- Cyclic neuromuscular electrical stimulation, in motor recovery, after stroke, S94–S97
- Cyclobenzaprine, for neck pain, 636
- Cysts, synovial, and neck pain, 464
-
- D**
- Dantrium, for spinal cord injury, botulinum toxin with, 903
- Dantrolene sodium, for spinal cord injury, botulinum toxin with, 903
- Dapsone-induced neuropathy, electrodiagnosis of, 377
- Degenerative disk disease, and neck pain, imaging of, 498–499
 surgical management of, 683–684
- Déjerine-Sotos disease, electrodiagnosis of, 349, 353

Deltoid reflex, in physical examination, for neck pain, 483

Dendritic arborization, in intact hemisphere, after stroke, S29-S31, S35-S37

Dermatomal somatosensory-evoked potentials, in evaluation of lumbosacral spinal stenosis, 72-73 versus radiologic imaging, 74

Dermatomyositis, and neck pain, laboratory tests for, 597 electrodiagnosis of, 424

Detrusor hyperreflexia, neurologic injuries and, botulinum toxin for, 799-800

Detrusor-sphincter dyssynergia, neurologic injuries and, botulinum toxin for, 796-799

Diabetic neuropathy, autonomic nervous system in, 300 electrodiagnosis of, 378, 381-382 quantitative sensory testing in, 278-280

Diabetic polyneuropathy, electrodiagnosis of, 175-176

Diazepam, for spinal cord injury, botulinum toxin with, 903

Diffuse idiopathic skeletal hyperostosis, and neck pain, imaging of, 525

Diffusion imaging, of neck pain, 541-542

Discectomy, for disk herniations, 505

Discitis, and neck pain, imaging of, 530

Discography, interventional, for neck pain, 532-537 provocation, to induce neck pain, 461

Disk displacement, and neck pain, imaging of, 499-500

Disk herniations, and neck pain, imaging of, 497-498, 500-501

Drooling, botulinum toxin for, 849-850 in children, 713

Drug-induced myopathies, electrodiagnosis of, 427-428

Drug-induced neuropathies, autonomic nervous system in, 300 electrodiagnosis of, 374-375, 377

Duchenne muscular dystrophy, electrodiagnosis of, 407

Dynamic magnetic resonance imaging, of neck pain, 541

Dynamic neural tension signs, in lumbar spinal stenosis, 35-36

Dysphagia, botulinum toxin and, in cervical dystonia, 763-764

Dysphonia, spasmodic. *See* Spasmodic dysphonia.

Dystonia, spastic, in upper motoneuron syndrome, 860-861

E

El Escorial criteria, for diagnosis, of amyotrophic lateral sclerosis, 332, 337-338

Elbow, flexed, in upper motoneuron syndrome, 865, 867-868

Elbow disorders, in children, botulinum toxin for, 712

Elbow extension, in physical examination, for neck pain, 480

Elbow flexion, in physical examination, for neck pain, 480

Electrical modalities, for neck pain, 619-620

Electrodiagnosis, **163-184**. *See also* Electromyography.
 American Association of Electrodiagnostic Medicine guidelines for, 168
 caveats in, 166-167
 defining normal results of, 167-168
 in children, **435-443**
 intraoperative, 435-436
 with congenital myopathies, 439
 with critical illness neuromuscular disease, 437-438
 with Guillain-Barré syndrome, 437
 with HIV infection, 436-437
 with muscular dystrophies, 439-440
 with myopathies, 440-441
 with poliomyelitis, 438
 with spinal muscular atrophy, 438
 of hereditary motor and sensory neuropathies. *See* Hereditary motor and sensory neuropathies.
 of motor neuron diseases. *See* Motor neuron diseases.

- of motor system weakness, 163
 - of myopathies. *See* Myopathies.
 - of neck pain. *See* Neck pain.
 - of neuromuscular junction disorders, 176–179
 - botulism, 179
 - Lambert-Eaton myasthenic syndromes, 179
 - myasthenia gravis, 178–179
 - of patterns of weakness, 163–164
 - of polyneuropathy, 168–169, 171, 174–176
 - acute inflammatory demyelinating polyradiculoneuropathy, 171, 174
 - alcoholic polyneuropathy, 176
 - chronic inflammatory demyelinating polyradiculoneuropathy, 174–175
 - diabetic polyneuropathy, 175–176
 - F waves in, 169
 - multifocal motor neuropathy, 175
 - needle electrode examination in, 169
 - uremic polyneuropathy, 382
 - symptoms and signs and, 164, 166
 - techniques in, 167–168
- Electromechanical gait trainer, in motor recovery, after stroke, S119–S121
- Electromyogram training, for neck pain, 653
- Electromyographically controlled neuromuscular electrical stimulation, in motor recovery, after stroke, S99–S104
- Electromyography. *See also* Electrodiagnosis.
- before botulinum toxin injection, for spasmodic dysphonia, 774
 - conventional, versus single-fiber electromyography, 207–208
 - motor unit number estimation in, **243–260**
 - comparing techniques for, 248–252
 - F-wave technique for, 246
 - in amyotrophic lateral sclerosis, 253–255, 340
 - in myopathies, 253
 - in neuropathies and neuronopathies, 255–256
 - in normal aging, 252–253
 - incremental technique for, 244–245
 - multiple point stimulation technique for, 245–246
 - spike-triggered averaging technique for, 246–247
 - statistical method for, 248
 - of cervical dystonia, 753–754
 - of lumbar spinal stenosis, **57–69**
 - case reports of, 62, 67
 - literature review on, 58–60
 - needle electromyography in, 61–62
 - nerve conduction studies in, 60–61
 - prior lumbar surgeries and, 61–62
 - rationale for, 57–58
 - of lumbosacral spinal stenosis, 72–73
 - of myofascial pain syndrome, 810–811
 - of spasticity, 822–824
 - quantitative. *See* Quantitative electromyography.
 - single-fiber. *See* Single-fiber electromyography.
 - to guide botulinum toxin injection, **781–792**
 - for cervical dystonia, 762
 - force measurements in, 783
 - to determine distribution of motor nerve endings, 784–785
 - to localize injection method, 785–791
 - anatomic localization method, 787
 - electromyography activity method, 785–787
 - motor end plate localization method, 788
 - motor point localization method, 788–791
 - to localize injection site, 783
 - to localize motor end plates, 782–784
 - to select injection method, 784–785
- Emery-Dreifuss muscular dystrophy, electrodiagnosis of, 411
- Encephalomyopathy, mitochondrial, with lactic acidosis and stroke, electrodiagnosis of, 419
- mitochondrial neurogastrointestinal, electrodiagnosis of, 420
- Endocrine myopathies, electrodiagnosis of, 426–427
- Enostoses, and neck pain, imaging of, 514
- Eosinophilic granulomas, and neck pain, imaging of, 517–518

- Ependymomas, and neck pain, imaging of, 507
- Epidermal growth factor, in neuroplasticity, after stroke, S17
- Epidural abscesses, and neck pain, imaging of, 530
- Epidural blocks, for neck pain, 537-538
- Epidural steroid injections, for lumbar spinal stenosis, 103, 112, **119-139**, 144
caudal approach to, 123, 127, 134
complications of, 130-134
contraindications to, 121
fluoroscopic guidance of, 124-125
historical aspects of, 120
indications for, 120-121
interlaminar/translaminar approach to, 123-126
mechanism of action of, 121-122
results of, 122-124
transforaminal approach to, 123, 128-129, 134
- Epilepsy, myoclonic, with ragged red fibers, electrodiagnosis of, 419
- Equinovarus foot, in upper motoneuron syndrome, 880-882
- Equinus, in children, botulinum toxin for, 708
- Ergonomic training, for lumbar spinal stenosis, 107
- Erythrocyte sedimentation rate, in neck pain, 593-594
- Estrogens, in neuroplasticity, after stroke, S19
- Exercise, for neck pain, 620-621
functional, for lumbar spinal stenosis, 113-115
- Extradural tumors, and neck pain, imaging of, 513
- Extramedullary/intradural tumors, and neck pain, imaging of, 509-512
-
- F**
- Facet blocks, for neck pain, 538-540
- Facial spasms, botulinum toxin for.
See Orofacial disorders.
- Facioscapulohumeral muscular dystrophy, electrodiagnosis of, 410-411
- Familial dysautonomia, autonomic nervous system in, 300
- Fibrillation potentials, in needle electromyography, of neck pain, 556, 558-559
- Fibromyalgia, and neck pain, 488, 592
- Finger abduction, in physical examination, for neck pain, 481
- Finger adduction, in physical examination, for neck pain, 481
- Finger extension, in physical examination, for neck pain, 481
- Finger flexor reflex, in physical examination, for neck pain, 482-483
- Fist, clenched, in upper motoneuron syndrome, 871-874
- Flaps, myocutaneous, for spinal cord injury, botulinum toxin with, 906-907
- Flexed elbow, in upper motoneuron syndrome, 865, 867-868
- Flexed hip, in upper motoneuron syndrome, 876-877
- Flexed knee, in upper motoneuron syndrome, 879-880
- Flexed wrist, in upper motoneuron syndrome, 856-857, 869-871
- Flexeril, for neck pain, 636
- Flexion exercises, for lumbar spinal stenosis, 113
- Focal hand dystonia, constraint-induced movement therapy for, S87
- Foot, equinovarus, in upper motoneuron syndrome, 880-882
- Foot disorders, in children, botulinum toxin for, 708
- Footdrop deformity, in children, botulinum toxin for, 708
- Foraminotomies, for radiculopathy, 682-683
- Forearm, pronated, in upper motoneuron syndrome, 868-869
- Forearm disorders, in children, botulinum toxin for, 712
- Forearm pronation, in physical examination, for neck pain, 480-481
- Fractures, and neck pain, 464

- Frey's syndrome, botulinum toxin for, 847–849
- Fukuyama-type muscular dystrophy, electrodiagnosis of, 409–410
- Functional capacity evaluations, for neck pain, 584–585
- Functional electrical stimulation, with treadmill therapy, in motor recovery, after stroke, S114
- Functional exercises, for lumbar spinal stenosis, 113–115
- Functional magnetic resonance imaging, after stroke, **S47–S55**
 BOLD technique in, S47, S51
 cerebral blood flow in, S51
 hand dexterity in, S50
 hemiplegia in, S51–S52
 in constraint-induced movement therapy, S81–S82
 index finger tapping studies in, S50–S51
 motor activation patterns in, S48
 side of injury in, S49
 timing in, S49
 to measure therapeutic benefits, S52
- Fusion surgery, for axial neck pain/degenerative disk disease, 683–684
- F-wave studies, of neck pain, 562–563

G

- Gabapentin, for neck pain, 635
- Gait analysis, in treadmill with body weight support, in motor recovery, after stroke, S117–S118
- Gait training, electromechanical, in motor recovery, after stroke, S119–S121
- Gate control theory, of pain, 648–649
- Glasgow system, automated, in quantitative sensory testing, 274
- Glucocorticoids, in neuroplasticity, after stroke, S19–S20
- Glycogen storage disorders, electrodiagnosis of, 420, 422
- Gonadal hormones, in neuroplasticity, after stroke, S19
- Gout, and neck pain, imaging of, 524
 laboratory tests for, 600

- Granulomatous myelopathies, and neck pain, imaging of, 529
- Growth factors, in motor recovery, after stroke, S17, S137–S139
 basic fibroblast growth factor, S137–S139
 osteogenic protein-1, S139
 in pediatric disorders, 704–705
- Guillain-Barré syndrome, electrodiagnosis of, 171, 174, 372
 in children, 436–437
- Gustatory sweating, botulinum toxin for, 847–849

H

- Hand dystonia, constraint-induced movement therapy for, S87
- Hand neuroprostheses, in motor recovery, after stroke, S104–S106
- Hansen's disease, electrodiagnosis of, 372–373
- Hard tissue disorders, and neck pain, 484
- Headaches, chronic tension-type, botulinum toxin for, 730, 741–743, 885–887
 clinical trials of, 893–896
 epidural steroid injections and, 130–131
 migraine, botulinum toxin for, 813, 885–887
 clinical trials of, 887, 889–896
- Heart rate, in autonomic nervous system evaluation, 293, 294
- Heat therapy, for neck pain, 618–619
- Hemangioblastomas, and neck pain, imaging of, 507, 509
- Hemangiomas, and neck pain, imaging of, 513–514
- Hemifacial spasms, botulinum toxin for, 729, 739–741
- Hemimasticatory muscle spasms, botulinum toxin for, 728, 733
- Hemiplegia, motor system function in, functional magnetic resonance imaging of, S51–S52
 spasticity in, botulinum toxin for, 827–830

- Hemodialysis, and arthritis, imaging of, 523
- Herbal medicine, for neck pain, 668
- Hereditary motor and sensory neuropathies, **347–363**
 electrodiagnosis of, 176, **347–363**
 accuracy of, 354
 Charcot-Marie-Tooth disease, 355–356
 future directions in, 357–358
 in classification, 355–357
 minimizing confounding variables in, 354
 needle electromyography in, 357
 nerve conduction studies in, 354
 literature review on, 350–353
 Charcot-Marie-Tooth disease, 350–352
 Déjerine-Sotas disease, 353
 hereditary neuropathy with liability to pressure palsies, 352
 overview of, 348–350
 Charcot-Marie-Tooth disease, 349
 congenital hypomyelinating neuropathy, 349
 Déjerine-Sotas disease, 349
- Herpes zoster, and neck pain, imaging of, 531
- Hip, capsular tightness of, manual therapy for, 114
 flexed, in upper motoneuron syndrome, 876–877
- Hip disorders, in children, botulinum toxin for, 708
- HIV infection, neuropathy with, electrodiagnosis of, in children, 436–437
- Homeopathy, for neck pain, 667–668
- Hormones, in neuroplasticity, after stroke, S18–S19
- H-reflex studies, of neck pain, 563
- Hyoid bone syndrome, and neck pain, 466
- Hypercalcemia, in neck pain, 601
- Hyperhidrosis, botulinum toxin for, 837–849
 axillary hyperhidrosis, 843–845
 body odor in, 844–845
 dosage in, 843–844
 duration of response in, 844
 complications of, 842
 craniofacial hyperhidrosis, 847
 distance between injection sites in, 840
 gustatory sweating, 847–849
 injection location in, 839
 muscle weakness in, 840–841
 needle angle in, 839–840
 pain management in, 840
 palmar hyperhidrosis, 845–847
 dosage in, 845–846
 duration of response in, 846
 quantitation of response in, 847
 starch-iodine technique in, 840
- Hyperparathyroidism, laboratory tests for, 599
- Hypothyroidism, myopathies with, electrodiagnosis of, 426
-
- I**
- Idiopathic disorders, and neck pain, 486–487
- Imagery, for neck pain, 654
- Inclinometry studies, of range of motion, in neck pain, 573
- Inclusion body myositis, electrodiagnosis of, 180, 425–426
- Index finger tapping studies, in functional magnetic resonance imaging, after stroke, S50–S51
- Infections, and neck pain, imaging of, 530–531
 laboratory tests for, 595
 wound, spinal decompression and, 148
- Inflammatory disorders, and neck pain, 464
 imaging of, 525–529
- Inflammatory myopathies, electrodiagnosis of, 423–424
- Inosine, effects of, on intact hemisphere, after stroke, S33–S34
- Interlaminar/translaminar approach, to epidural steroid injections, for lumbar spinal stenosis, 123–126
- Internally rotated shoulder, in upper motoneuron syndrome, 862–865
- Intervertebral mobilization, for lumbar spinal stenosis, 104
- Intracortical microstimulation, in motor recovery, after stroke, S60

Intramedullary tumors, and neck pain, imaging of, 507, 509

Ischemic infarct, and cortical motor map organization, after stroke, S66–S68, S71–S72

J

Joint disorders, and neck pain, 484

Joint fluid analysis, in neck pain, 602

Juvenile rheumatoid arthritis, and neck pain, imaging of, 521–522

K

Kearns-Sayre syndrome, electrodiagnosis of, 419

Kennedy's disease, electrodiagnosis of, 340
epidemiology of, 328

Kindling, after stroke, S12–S13

Knee, flexed, in upper motoneuron syndrome, 879–880
stiff, in upper motoneuron syndrome, 878–879

Knee disorders, in children, botulinum toxin for, 708

L

Lambert criteria, in diagnosis, of amyotrophic lateral sclerosis, 337–338

Lambert-Eaton myasthenic syndrome, electrodiagnosis of, 179
single-fiber electromyography in, 220–221
repetitive nerve stimulation and exercise testing in. *See* Neuromuscular junction disorders.

Laminectomy, for myelopathy, 685–686, 689

Laminoplasty, for disk herniations, 505–506
for myelopathy, 686

Laser therapy, for neck pain, 621–622, 670–671

Lateral pterygoid muscle, in oromandibular dystonia, botulinum toxin for, 735

Lead-induced neuropathy, electrodiagnosis of, 376–377

Ledged beam, in learned motor compensation, after stroke, S37–S38

Leprosy, electrodiagnosis of, 372–373

Levodopa, in motor recovery, after stroke, S130

Lidocaine patch, for neck pain, 637

Lidoderm, for neck pain, 637

Limb-girdle muscular dystrophy, electrodiagnosis of, 410

Lioresal, for neck pain, 636
for spinal cord injury, botulinum toxin with, 903, 904

Lipid-lowering agents, and myopathies, electrodiagnosis of, 427

Lipid metabolism disorders, electrodiagnosis of, 423

Local anesthetics, in epidural steroid injections, 132–133

Longus colli tendinitis, and neck pain, 464

Lower extremities, screening of, for lumbar spinal stenosis, 36–37

Lower extremity disorders, in children, botulinum toxin for. *See* Pediatric disorders.

Lumbar spinal stenosis. *See also* Lumbosacral spinal stenosis. and neurogenic intermittent claudication, 17–19, 27, 141–142, 144–145
versus vascular claudication, 31–32
classification of, 2–3, 78
clinical features of, 78–79
electromyography of. *See* Electromyography.
etiology of, 50–53
historical aspects of, 1–2
imaging of, 41–56, 143
computed tomography in, 6, 44–46, 48
magnetic resonance imaging in, 12, 13, 48–50
myelography in, 42, 44
plain films in, 41–42
in asymptomatic patient, 17–28
anatomy in, 19–21
blood supply of nerve roots, 19–21
nerve roots, 19
spinal canal, 19
biomechanical instability in, 26
flare-up in, 26–27
inflammatory cascade in, 25–26

Lumbar (*continued*)

- neuroischemic cascade in, 21-25
 - arterial insufficiency theory of, 24-25
 - biomechanical factors in, 25
 - venous engorgement theory of, 21-23
- manual therapy for. *See* Manual therapy.
- neurologic examination for, 34-35
- nonsurgical management of, **77-100, 109-118**
 - case reports of, 83-85, 90-94
 - disability measures in, 84-85
 - initial findings in, 90
 - orthotics in, 93-94
 - patient description in, 85, 90
 - physical examination in, 85, 90
 - physical therapy in, 90-94
 - results in, 94
 - epidural steroid injections in, 112. *See* Epidural steroid injections.
 - functional exercises in, 113-115
 - general conditioning in, 117
 - manual therapy in. *See* Manual therapy.
 - pharmacologic, 111-112
 - pathoanatomy of, 4-13
 - patient history of, 30-32
 - physical examination for, 33-37
 - dynamic neural tension signs in, 35-36
 - lower extremity screening in, 36-37
 - Waddell's signs in, 36, 37
 - surgical management of, **141-153**
 - complications of, 148-149
 - decision making in, 145-148
 - stenosis with scoliosis, 147-147
 - stenosis with spondylolisthesis, 147
 - stenosis without deformity, 145-147
 - indications for, 144
 - patient evaluation for, 141-144
 - results of, 149-150
 - timing of, 144-145

Lumbar stabilization exercises, for lumbar spinal stenosis, 113

Lumbosacral spinal stenosis. *See also* Lumbar spinal stenosis.

- evaluation of, dermatomal somatosensory-evoked potentials

- in, 72-73
 - versus radiologic imaging, 74
- signs and symptoms of, 72

M

Magnetic resonance imaging, functional. *See* Functional magnetic resonance imaging.

- of lumbar spinal stenosis, 12, 13, 48-50
- of motor neuron diseases, 333
- of neck pain, 495-497
- with electrodiagnosis, of hereditary motor and sensory neuropathies, 357

Magnetic stimulation, transcranial. *See* Transcranial magnetic stimulation.

Magnetic therapy, for neck pain, 620, 668-669

Manipulation, spinal, for neck pain, 611, 614-615, 618, 666-667

Manual muscle testing, for neck pain, 479-482

Manual therapy, for capsular tightness of hip, 114

- for lumbar spinal stenosis, **101-108**
 - case reports of, 90-94
 - ergonomic training in, 107
 - general conditioning in, 107-108, 117
 - goals of, 104
 - neural mobilization in, 106
 - patient description in, 102
 - postural correction and education in, 107
 - soft tissue mobilization in, 106
 - spinal and intervertebral mobilization in, 104

Marrow stromal cells, in motor recovery, after stroke. *See* Stem cells.

Marstock method, in quantitative sensory testing, 263-264, 279

Marstock stimulator, in quantitative sensory testing, 273

Massage, for neck pain, 610-611, 660-662

Masseteric muscle hypertrophy, botulinum toxin for, 728, 731-732

Masticatory muscle spasms, botulinum toxin for, 728, 732-733

- Maxivibrometer, in quantitative sensory testing, 273
- McArdle's disease, electrodiagnosis of, 422
- McGill pain questionnaire, for neck pain, 581–582
- Meningiomas, and neck pain, imaging of, 510–511
- Meningitis, and neck pain, laboratory tests for, 595
- Menstrual cycle, in neuroplasticity, after stroke, S19
- Metabolic myopathies, electrodiagnosis of, 420, 422
- Metastatic tumors, and neck pain, imaging of, 512, 518–519
- N*-methyl-D-aspartate-dependent hyper-excitability, in intact hemisphere, after stroke, S31–S32
- Methylphenidate, in motor recovery, after stroke, S130
- Middlesex Hospital thermal testing system, in quantitative sensory testing, 274
- Migraine headaches, botulinum toxin for, 813, 885–887
clinical trials of, 887, 889–896
- Miller-Fisher variant, of acute inflammatory demyelinating polyneuropathy, electrodiagnosis of, 380–381
- Minnesota Multiphasic Personality Inventory, of psychological factors, in neck pain, 583
- Mitochondrial myopathies, electrodiagnosis of, 419, 420
- Mitotic activity, in neuroplasticity, after stroke, S13–S15
- Motor neuron diseases, **327–345**. *See also*
Amyotrophic lateral sclerosis, and neck pain, imaging of, 529
clinical features of, 330–332
diagnosis of, El Escorial criteria for, 332, 337–338
laboratory tests in, 333–334
Lambert criteria for, 337–338
neuroimaging in, 333
differential diagnosis of, 332
electrodiagnosis of, 179–180, 334–342
Kennedy's disease, 340
motor unit number estimate in, 340
needle electrode examination in, 336
nerve conduction studies in, 334–335
poliomyelitis, 341–342
spinal muscular atrophies, 341
epidemiology of, 327–330
Kennedy's disease, 328
poliomyelitis, 329–330
spinal muscular atrophy, 328–329
single-fiber electromyography in, 222
- Motor skills development, in pediatric disorders, 705–706
- Motor tics, orofacial, botulinum toxin for, 729, 736–737
- Motor unit analysis, in needle electromyography, of neck pain, 559
- Multifocal motor neuropathy, electrodiagnosis of, 175
- Multiple myeloma, and neck pain, imaging of, 516
- Multiple sclerosis, and neck pain, imaging of, 525–526
spasticity in, botulinum toxin for, 826–827
transcranial magnetic stimulation in, 320
- Multiple system atrophy, autonomic nervous system in, 301
- Muscle ischemia, single-fiber electromyography in, 223–224
- Muscle relaxants, for neck pain, 635–636
- Muscular dystrophies, electrodiagnosis of. *See* Myopathies.
- Myasthenia gravis, electrodiagnosis of, 178–179
repetitive nerve stimulation and exercise testing in. *See* Neuromuscular junction disorders.
single-fiber electromyography in, 218–219
- Myasthenic syndromes, congenital, single-fiber electromyography in, 220
- Myelitis, acute transverse, and neck pain, imaging of, 526
radiation-induced, and neck pain, imaging of, 529
- Myelography, computed tomography, of neck pain, 494–495

- Myelography (*continued*)
of lumbar spinal stenosis, 42, 44
- Myelomalacia, and neck pain, imaging of, 501
- Myelopathies, AIDS-associated, and neck pain, imaging of, 531
and neck pain, surgical management of, 678–679, 684–687, 689
granulomatous, and neck pain, imaging of, 529
- Myobloc. *See* Botulinum toxin.
- Myoclonic epilepsy, with ragged red fibers, electrodiagnosis of, 419
- Myoclonus, palatal, botulinum toxin for, 729, 737
- Myocutaneous flaps, for spinal cord injury, botulinum toxin with, 906–907
- Myofascial disorders, and neck pain, 466
- Myofascial pain syndrome, botulinum toxin for. *See* Pain management.
- Myofascial trigger points, botulinum toxin for, 730, 741–743
- Myofibrillar myopathy, electrodiagnosis of, 418–419
- Myopathies, electrodiagnosis of, 180, **403–434**
adrenal disorders, 427
central core disease, 414
centronuclear or myotubular myopathy, 418
congenital fiber-type disproportion, 418
congenital myopathies, 414
critical illness myopathy, 428–429
dermatomyositis, 424
distal myopathies, 413–414
glycogen storage disorders, 420, 422
in children, 439–441
inclusion body myositis, 425–426
inflammatory myopathies, 423–424
Kearns-Sayre syndrome, 419–420
lipid metabolism disorders, 423
mitochondrial
encephalomyopathy with lactic acidosis and strokes, 419
mitochondrial myopathies, 419
mitochondrial
neurogastrointestinal
encephalomyopathy, 420
motor unit number estimation in, 253
muscular dystrophies, 405, 407–411, 439–440
Becker, 407–409
classic, 409
Duchenne, 407
Emery-Dreifuss, 411
facioscapulohumeral, 410–411
Fukayama-type, 409
limb-girdle, 410
oculopharyngeal, 411
Santavuori-type, 410
Walker-Warburg syndrome, 409–410
myoclonic epilepsy with ragged red fibers, 419
myofibrillar myopathy, 418–419
myotonic dystrophies, 411–413
nemaline rod myopathy, 414, 418
paraneoplastic necrotizing myopathy, 429
parathyroid disorders, 426–427
polymyositis, 424–425
single-fiber electromyography in, 222–223
thyroid disorders, 426
toxic myopathies, 427–428
- Myophosphorylase deficiency, electrodiagnosis of, 422
- Myotonia congenita, repetitive nerve stimulation and exercise testing in, 203
- Myotonic dystrophies, electrodiagnosis of, 411–413
repetitive nerve stimulation and exercise testing in, 203
- Myotubular myopathy, electrodiagnosis of, 418
-
- N**
- Neck Disability Index, for neck pain, 583–584
- Neck flexion, in physical examination, for neck pain, 481
- Neck pain, clinical experiments in, 459–461
clinical studies on, 461
electrodiagnosis of, **549–567**
differential diagnosis in, 550–551
F-wave studies in, 562–563
H-reflex studies in, 563
needle electromyography in, 555–556, 558–560

- insertional activity and spontaneous potentials
 - in, 556, 558–559
 - limitations of, 559–560
 - motor unit analysis and recruitment in, 559
 - nerve conduction studies in, 560–562
 - nerve root stimulation in, 562
 - magnetic, 563
 - physical examination for, 551–553
 - rationale for, 550
 - sequence of, 553, 555
 - somatosensory evoked potentials
 - in, 562
- etiology of, 458–459, 462–466, 476
 - dermatomyositis, 597
 - fibromyalgia, 488, 592
 - fractures, 464
 - hard tissue disorders, 484
 - hyoid bone syndrome, 466
 - idiopathic or autoimmune disorders, 486–487
 - infections, 530–531, 595
 - inflammatory arthropathies, 464
 - joint disorders, 484
 - longus colli tendinitis, 464
 - myofascial disorders, 466
 - osteoarthritis, 465
 - Paget's disease, 465
 - polymyalgia rheumatica, 464, 487
 - polymyositis, 488, 597
 - rheumatoid arthritis, 484, 519–525, 596–597
 - shoulder disorders, 488
 - soft tissue disorders, 483–484
 - spinal cord and nerve disorders, 484–486
 - spondyloarthropathies, 596
 - spondylosis, 465
 - sternocleidomastoid tendinitis, 466
 - synovial cysts, 464
 - thoracic outlet syndrome, 488
 - torticollis, 464
 - vascular disorders, 462–464
- factors that improve, 476
- factors that worsen, 476
- family history of, 477
- imaging of, **493–548**
 - arthritis, 519–525
 - Chiari malformations, 532
 - computed tomography
 - myelography in, 494–495
 - degenerative disk disease, 498–499
 - diffusion imaging in, 541–542
 - disk displacement, 499–500
 - disk herniations, 497–498, 500–501
 - dynamic magnetic resonance imaging in, 541
 - infections, 530–531
 - inflammatory disorders, 525–529
 - interventional, 532–541
 - discography, 532–537
 - epidural blocks, 537–538
 - facet blocks, 438–540
 - radiofrequency neurotomy, 541
 - magnetic resonance imaging in, 495–497
 - myelomalacia, 501
 - plain films in, 494, 677
 - postoperative, 505–506
 - spinal canal size and surgical outcome, 501–502, 505
 - trauma, 531–532
 - tumors, 507, 509–514, 516–519
 - bone, 513–514, 516–519
 - extradural, 513
 - extramedullary/intradural, 509–512
 - intramedullary, 507, 509
- laboratory tests for, **589–604**
 - alkaline phosphatase in, 600–601
 - antineutrophil cytoplasmic antibody assay in, 599
 - antinuclear antibodies in, 598–599
 - autoantibodies in, 597–598
 - biopsy in, 602
 - calcium in, 601
 - cerebrospinal fluid analysis in, 602
 - complement system in, 597
 - C-reactive protein in, 594–595
 - dermatomyositis, 597
 - erythrocyte sedimentation rate in, 593–594
 - fibromyalgia, 592
 - gout, 600
 - infections, 595
 - joint fluid analysis in, 602
 - malignancies, 592–595
 - mechanical neck pain, 590–592
 - Paget's disease, 599–600
 - phosphorus in, 601
 - polymyositis, 597
 - primary hyperparathyroidism, 599
 - rheumatoid arthritis, 596–597
 - rheumatoid factor in, 597–598
 - sensitivity, specificity, and positive predictive value of, 590
 - spondyloarthropathies, 596
 - uric acid in, 601

Neck (*continued*)

- legal aspects of, 477
- location of, 475
- management of, **605–627**
 - behavioral therapy in, 622
 - clinical trials in, 606, 608–609
 - complementary and alternative medicine in. *See* Complementary and alternative medicine.
 - education in, 622–623
 - electrical modalities in, 619–620
 - exercise in, 620–621
 - laser therapy in, 621–622, 670–671
 - magnetic therapy in, 620, 668–669
 - manipulation in, 611, 614–615, 618, 666–667
 - massage in, 610–611, 660–662
 - mobilization in, 611
 - multimodal therapy in, 623
 - orthoses in, 610
 - pharmacologic, **629–641**
 - acetaminophen in, 631
 - anticonvulsants in, 635
 - aspirin in, 632
 - botulinum toxin in, 637
 - capsaicin in, 637
 - corticosteroids in, 633
 - COX-2 inhibitors in, 632–633
 - for acute pain, 638
 - for chronic pain, 638
 - in elderly, 637
 - lidocaine patch in, 637
 - muscle relaxants in, 635–636
 - nonsteroidal anti-inflammatory drugs in, 591–592, 631–633
 - opioid analgesics in, 633–634, 638
 - tramadol in, 636–637
 - tricyclic antidepressants in, 635
 - psychosocial therapy in, **643–657**
 - active adaptation in, 655–657
 - cognitive-behavioral therapy in, 622, 650–652
 - for chronic pain, 647
 - gate control theory in, 648–649
 - neurotransmitters in, 649
 - patient education in, 647
 - psychophysiology in, 647–648
 - relaxation training and biofeedback in, 652–655
 - treatment goals in, 649–650
- surgical, **675–692**
 - anterior versus posterior approach to, 679–680
 - failure of conventional treatment and, 676
 - for axial neck pain/ degenerative disk disease, 683–684
 - for myelopathy, 678–679, 684–687, 689
 - for radiculopathy, 679, 680–683
 - imaging in, 677
 - in patient with neurologic deficit, 678–679
 - in patient without neurologic deficit, 677–678
 - thermal modalities in, 618–619
 - traction in, 618
- onset of, 476
- past history of, 477
- physical examination for, **473–491**
 - elbow extension in, 480
 - elbow flexion in, 480
 - fibromyalgia, 488
 - finger abduction and adduction in, 481
 - finger extension in, 481
 - forearm pronation in, 480–481
 - hard tissue disorders, 484
 - idiopathic or autoimmune disorders, 486–487
 - joint disorders, 484
 - manual muscle testing in, 479–482
 - neck flexion in, 481
 - palpation in, 479
 - patient appearance in, 478
 - polymyalgia rheumatica, 487
 - polymyositis, 488
 - range of motion in, 478–479
 - red flags in, 488–489
 - reflexes in, 482–483
 - scapular elevation and rotation in, 482
 - shoulder abduction in, 480
 - shoulder disorders, 488
 - shoulder external rotation in, 480
 - soft tissue disorders, 483–484
 - spinal cord and nerve disorders, 484–486
 - thoracic outlet syndrome, 488
 - thumb opposition and abduction in, 481

- vital signs in, 478
 - physical function measurements in, **569–588**
 - AMA Guides to Evaluation of Permanent Impairment in, 571
 - disability measures in, 583–584
 - functional capacity evaluations in, 584–585
 - impairment ratings in, 577
 - International Classification of Impairments, Disability, and Handicap in, 570–571
 - pain measurements in, 581–582
 - psychological factors in, 582–583
 - quality of life measurements in, 585
 - range of motion in, 572–574, 577
 - strength measurements in, 577, 580–581
 - previous testing and management of, 477
 - psychological and social factors in, 644–645
 - radiation of, 475
 - review of systems for, 477
 - severity and course of, 475
 - social history of, 475
 - symptoms associated with, 476–477
 - versus cervical radiculopathy, 455–456, 485–486, 551
- Neck Pain and Disability Scale, for neck pain, 584
- Needle electrode examination, of acquired peripheral neuropathy, 370
- of motor neuron diseases, 336
- of polyneuropathy, 169
- Needle electromyography, of hereditary motor and sensory neuropathies, 357
- of lumbar spinal stenosis, 61–62
- of neck pain. *See* Neck pain.
- Nemaline rod myopathy, electrodiagnosis of, 414, 418
- Nerve conduction studies, of acquired peripheral neuropathy, 368–370
- of hereditary motor and sensory neuropathies, 354
- of lumbar spinal stenosis, 60–61
- of motor neuron diseases, 334–335
- of neck pain, 560–562
- Nerve root stimulation, in electrodiagnosis, of neck pain, 562, 563
- Neural mobilization, for lumbar spinal stenosis, 106
- Neural tension signs, in lumbar spinal stenosis, 35–36
- Neuralgic amyotrophy, and neck pain, 486–487
- Neurofibromatosis, and neck pain, imaging of, 509–510
- Neurogenic intermittent claudication, lumbar spinal stenosis and, 17–19, 27, 141–142, 144–145
- versus vascular claudication, 31–32
- Neuroimaging, of motor neuron diseases, 333
- Neurologic examination, for lumbar spinal stenosis, 34–35
- Neurologic injuries, bowel and bladder dysfunction in, botulinum toxin for, **793–804**
- anal fissure, 801–802
 - anismus, 800–802
 - benign prostatic hyperplasia, 802–803
 - detrusor hyperreflexia, 799–800
 - detrusor-sphincter dyssynergia, 796–799
 - micturition physiology in, 793–796
 - overactive bladder, 802
- Neuromodulators, in neuroplasticity, after stroke, S15–S16
- Neuromuscular electrical stimulation, in motor recovery, after stroke, **S93–S109**
- biofeedback-mediated, S97–S98
 - cyclic, S94–S97
 - electromyographically controlled, S99–S104
 - hand neuroprosthesis in, S104–S106
- Neuromuscular junction disorders, electrodiagnosis of, 176–179
- repetitive nerve stimulation and exercise testing in, **185–206, 387–401**
- ACh inhibitor discontinuation in, 198
- anatomy in, 387
- decrement and increment calculation in, 200–201
- electrode immobilization in, 195–196
- in botulism, 397–398
- in electromyography laboratory, 191–193, 202–204
- after exercise, 192–193

Neuromuscular (*continued*)

- brief testing in, 192
 - rapid stimulation, 191-192
 - slow stimulation, 191
 - in Lambert-Eaton myasthenic syndrome, 392, 397-398
 - in myasthenia gravis, 391-392, 397
 - in myotonia congenita, 203
 - in myotonic dystrophy type I, 203
 - in paramyotonia congenita, 203-204
 - in periodic paralysis syndromes, 204
 - interpreting results in, 397-398
 - muscle and nerve selection in, 198-199, 396-397
 - normal physiology in, 186-188, 388-389
 - pathophysiology in, 389-390
 - preparation for, 393-394
 - progressive weakness without numbness in, 390-391
 - protocol for, 201-202, 394-396
 - rapid stimulation in, 190-191
 - slow stimulation in, 189
 - stimulation frequency in, 199-200
 - stimulation number in, 200
 - supramaximal stimuli in, 196
 - temperature control in, 196-197
 - single-fiber electromyography in, 218-219, 398-400
- Neuronal transplantation, in motor recovery, after stroke, **S153-S160**
- clinical trial of, S157-S158
 - mechanism of, S154-S157
 - neuronal cell preparation in, S157
 - neuronal cell production in, S154
 - outcome of, S158
 - safety measures in, S158-S159
- Neuronopathies, electromyography in, motor unit number estimation in, 255-256
- Neurontin, for neck pain, 635
- Neuropathies, acquired peripheral. *See* Acquired peripheral neuropathy.
- acute motor axonal, electrodiagnosis of, 377-378
 - alcoholic, electrodiagnosis of, 176, 374
 - amyloid, electrodiagnosis of, 300
 - autonomic nervous system in. *See* Autonomic nervous system.
 - botulinum toxin for, 813-814
 - critical illness, electrodiagnosis of, 375-376
 - diabetic. *See* Diabetic neuropathy.
 - drug-induced, electrodiagnosis of, 300, 374-375, 377
 - electromyography in, motor unit number estimation in, 255-256
 - hereditary motor and sensory. *See* Hereditary motor and sensory neuropathies.
 - multifocal motor, electrodiagnosis of, 175
 - quantitative sensory testing in, 278-280
 - single-fiber electromyography in, 221-222
 - toxin-induced, electrodiagnosis of, 300, 374-375, 376-377
- Neuroplasticity, in motor recovery, after stroke, **S3-S4, S7-S25, S57-S76**
- behavioral changes in, S7-S8
 - clinical studies of, S20-S22
 - cortical motor topography in, S8-S10, S59-S66
 - future implications of, S72
 - glucocorticoids in, S19-S20
 - gonadal hormones in, S19
 - hormones in, S18-S19
 - ischemic infarct and, S66-S68
 - mitotic activity in, S13-S15
 - molecular structure in, S13
 - neuromodulators in, S15-S16
 - neurotrophic factors in, S16-S17
 - physiologic organization in, S12-S13
 - post-infarct motor experience and, S68-S70
 - primate model of, S58-S59
 - psychoactive drugs in, S18
 - remote cortical motor area reorganization in, S71-S72
 - somatosensory input and, S70-S71
 - synaptic organization in, S10-S12
 - time course of, S57-S58
- Neuroprostheses, hand, in motor recovery, after stroke, S104-S106
- Neurotomy, radiofrequency, for neck pain, 541

Neurotransmitters, in neck pain, 649
 Neurotrophic factors, in neuroplasticity, after stroke, S16–S17
 NIH Stroke Scale, to assess motor recovery, after stroke, S2
 Nitrofurantoin-induced neuropathy, electrodiagnosis of, 375
 Nonopioid analgesics, for neck pain, 631–633
 Nonsteroidal anti-inflammatory drugs, for neck pain, 631–632
 monitoring of, 591–592
 Noradrenaline, in neuroplasticity, after stroke, S16
 Northwick Park Neck Pain Questionnaire, for neck pain, 584

O

Oat cell carcinoma, neuropathy with, electrodiagnosis of, 379
 Ocular myasthenia, single-fiber electromyography in, 219–220
 Oculopharyngeal muscular dystrophy, electrodiagnosis of, 411
 Opioid analgesics, for neck pain, 633–634, 638
 Orofacial disorders, botulinum toxin for, **727–748**
 bruxism, 728, 731
 caveats in, 727, 730
 chronic tension-type headaches and myofascial trigger points, 730, 741–743, 885–887, 893–896
 complications of, 744–745
 hemifacial spasms, 729, 736–741
 hemimasticatory spasms, 728, 733
 hyperactivity of tongue, 729, 735–736
 injection tips in, 743–744
 masseteric or temporalis muscle hypertrophy, 728, 731–732
 orofacial motor tics, 729, 736–737
 oromandibular dystonia, 729, 733, 735
 palatal myoclonus, 729, 737
 secondary masticatory muscle spasms, 728, 732–733
 sialorrhea, 729, 737, 739
 side effects of, 744
 synkinesis, 730, 741

Orofacial motor tics, botulinum toxin for, 729, 736–737
 Oromandibular dystonia, botulinum toxin for, 729, 733, 735
 Orthoses, for lumbar spinal stenosis, 103
 case reports of, 93–94
 for neck pain, 610
 Orthostatic hypotension, autonomic nervous system in, 302–303
 Ossification of posterior longitudinal ligament, and neck pain, 685
 imaging of, 524–525
 Osteoarthritis, and neck pain, 465
 Osteoblastomas, and neck pain, imaging of, 514, 516
 Osteogenic protein-1, in motor recovery, after stroke, S139
 Osteoid osteomas, and neck pain, imaging of, 514
 Overactive bladder, neurologic injuries and, botulinum toxin for, 802
 Oxcarbazepine, for neck pain, 635

P

Paget's disease, and neck pain, 465
 laboratory tests for, 599–600
 Pain management, botulinum toxin for, **805–820**
 dosage in, 814–815
 historical aspects of, 805
 migraine headaches, 813, 885–887, 889–896
 myofascial pain syndrome, 808–815
 characteristics of, 808
 electromyography of, 810–811
 fibromyalgia tender points in, 809
 pathogenesis of, 809–811
 patient selection for, 812–813
 trigger points in, 809
 versus standard tender point injections, 811
 neuropathic pain, 813–814
 pharmacology of, 805–808
 Pain Management Inventory, of
 psychological factors, in neck pain, 583
 Palatal myoclonus, botulinum toxin for, 729, 737

- Palmar hyperhidrosis. *See* Hyperhidrosis.
- Paramyotonia congenita, repetitive nerve stimulation and exercise testing in, 203-204
- Paraneoplastic necrotizing myopathy, electrodiagnosis of, 429
- Parathyroid disorders, myopathies with, electrodiagnosis of, 426-427
- Parkinsonian model, motor function in, S39-S40
- Parkinson's disease, spasticity in, botulinum toxin for, 830-831
transcranial magnetic stimulation in, 321
- Parsonnage-Turner syndrome, and neck pain, 486-487
- PATH-Tester MPI 100, in quantitative sensory testing, 275
- Pediatric disorders, botulinum toxin for, **703-725**
dosage in, 714-716
drooling, 713
in lower extremities, 707-709
ankles and feet, 708
gross motor functional categories in, 707
hips, 708
knees, 708
literature review on, 707
treatment algorithms in, 707-708, 709
in upper extremities, 709-713
common deformity patterns in, 711-712
elbows and forearms, 712
functional benefits of, 713
literature review on, 710-711
thumbs, 712-713
wrists, 712
injection anxiety in, 714
muscle localization in, 716-717
muscle selection for, 713-714
nonresponse to, 718
other modalities with, 717-718
safety and side effects of, 716
growth factors in, 704-705
motor skills development in, 705-706
- Periodic paralysis syndromes, repetitive nerve stimulation and exercise testing in, 204
- Peripheral neuropathy, acquired. *See* Acquired peripheral neuropathy.
diabetic, quantitative sensory testing in, 280
- Phantom limb pain, constraint-induced movement therapy for, S87-S88
- Phenol, for spasticity, botulinum toxin with, 831-832
for spinal cord injury, botulinum toxin with, 904
- Phenytoin-induced neuropathy, electrodiagnosis of, 374-375
- Phosphorus, in neck pain, 601
- Physiotherapy, versus pharmacotherapy, in motor recovery, after stroke, S136
versus treadmill with body weight support, in motor recovery, after stroke, S116-S117
- Plain films, of lumbar spinal stenosis, 41-42
of neck pain, 494, 677
- Poliomyelitis, electrodiagnosis of, 341-342
in children, 438
motor unit number estimation in, 256
single-fiber electromyography in, 222
epidemiology of, 329-330
- Polymyalgia rheumatica, and neck pain, 464, 487
- Polymyositis, and neck pain, 488
laboratory tests for, 597
electrodiagnosis of, 424-425
- Polyneuropathies, electrodiagnosis of. *See* Electrodiagnosis.
- Porphyria, autonomic nervous system in, 299-300
electrodiagnosis of, 378
- Positive sharp waves, in needle electromyography, of neck pain, 556, 558-559
- Postpolio syndrome, electrodiagnosis of, 342
motor unit number estimation in, 256
single-fiber electromyography in, 222
epidemiology of, 329-330
- Postural correction, for lumbar spinal stenosis, 107
- Pressure palsies, liability to, hereditary neuropathy and, 352
- Pronated forearm, in upper motoneuron syndrome, 868-869
- Provocation discography, to induce neck pain, 461

- Psoriatic arthritis, and neck pain,
laboratory tests for, 596
- Psychoactive drugs, in neuroplasticity,
after stroke, S18
- Pure autonomic failure, autonomic nervous
system in, 301
- Pyridoxine-induced neuropathy,
electrodiagnosis of, 379–380

Q

- Quantitative electromyography, 231–241**
automatic decomposition technique
for, 234
clinical applications of, 239–240
manual technique for, 233
motor unit action potential in,
parameters for, 235–239
amplitude and area-to-
amplitude ration, 236
area, 236
duration, 236
firing rate, 238–239
phases and turns, 236–237
rise time, 237
stability, variability, and
jiggle, 237–238
multi-motor unit action potential
analysis in, 234–235
outlier approach to, 239
reference values for, 239
selecting technique for, 239
trigger-delay technique for, 233–234
- Quantitative sensory testing, 261–286**
clinical applications of, 280
equipment for, 271–275
automated Glasgow system, 274
Bio-Thesiometer, 271–272
CASE III system, 271
CASE IV thermal testing probe,
273–274
CASE IV vibration stimulator,
272
Marstock stimulator, 273
Maxivibrometer, 273
Middlesex Hospital thermal
testing system, 274
PATH-Tester MPI 100, 275
Thermal Sensitivity Tester, 274
Thermal Sensory Analyzer
TSA-2001, 274–275
Vibrometer, 272
Vibratory Sensory Analyzer, 273
Vibratron II, 272
von Frey hairs, 271
in carpal tunnel syndrome, 280
in diabetic neuropathy, 278–280

- reproducibility of, 275–278
technique for, 262
threshold determination in, 262–271
methods of levels (heat pain),
269–271
methods of levels (vibration,
thermal), 267–269
methods of limits (heat pain), 269
methods of limits (thermal),
266–267
methods of limits (vibration), 267
response detection in, 265–266
stimulus presentation in, 263–265

R

- Radiation-induced myelitis, and neck pain,
imaging of, 529
- Radicular pain, exacerbation of, epidural
steroid injections and, 131
- Radiculopathy, cervical. *See* Cervical
radiculopathy.
- Radiofrequency neurotomy, for neck pain,
541
- Range of motion, neck pain and, 478–479,
572–574, 577
- Recombinant tissue plasminogen activator,
in motor recovery, after stroke, S2
- Reflexes, in physical examination, for neck
pain, 482–483
- Relaxation training, for neck pain, 652–655
- Renal function, nonsteroidal anti-
inflammatory drugs and, monitoring
of, 592
- Repetitive nerve stimulation and exercise
testing, in neuromuscular junction
disorders. *See* Neuromuscular junction
disorders.
- Rheumatoid arthritis, and neck pain, 484
imaging of, 519–525
laboratory tests for, 596–597
- Rheumatoid factor, in neck pain, 597–598
- Riley-Day syndrome, autonomic nervous
system in, 300
- Romanus lesions, and neck pain, imaging
of, 522

S

- Santavuori-type muscular dystrophy,
electrodiagnosis of, 410

- Sarcoidosis, and neck pain, imaging of, 529
- Scapular elevation, in physical examination, for neck pain, 482
- Scapular rotation, in physical examination, for neck pain, 482
- Scoliosis, lumbar spinal stenosis with, surgical management of, 147-148
- Sensory testing, quantitative. *See* Quantitative sensory testing.
- Serotonin, in neuroplasticity, after stroke, S16
- Shiatsu, for neck pain, 660-662
- Shoulder abduction, in physical examination, for neck pain, 480
- Shoulder adduction, in upper motoneuron syndrome, 862-865
- Shoulder disorders, and neck pain, 488
- Shoulder external rotation, in physical examination, for neck pain, 480
- Shoulder internal rotation, in upper motoneuron disease, 862-865
- Sialorrhea, botulinum toxin for, 729, 737, 739
- Single-fiber electromyography, **207-229**, 398-400
 in botulism, 221
 in congenital myasthenic syndromes, 220
 in Lambert-Eaton myasthenic syndrome, 220-221
 in muscle ischemia, 223-224
 in myasthenia gravis, 177-179, 218-219
 in myopathies, 222-223
 in neuropathies, 221-222
 in ocular myasthenia, 219-220
 research on, 224
 technique for, 209-212, 214-218
 bimodal jitter in, 215-216
 blocking in, 216, 399
 fiber density in, 216-217, 399
 jitter in, 212, 214, 399
 myogenic jitter in, 214-215
 parameters in, 217-218
 stimulation in, 211-212
 voluntary activation in, 210
 versus conventional electromyography, 207-208
- Sjögren's syndrome, neuropathy with, electrodiagnosis of, 380-381
- Small-fiber sensory neuropathies, autonomic nervous system in, 301-302
- Soft tissue disorders, and neck pain, 483-484
- Soft tissue mobilization, for lumbar spinal stenosis, 106
- Somatosensory evoked potentials, in electrodiagnosis, of neck pain, 562
- Somatosensory input, and motor dysfunction, after stroke, S70-S71
- Spasmodic dysphonia, botulinum toxin for, **767-779**
 dosage and injection strategy for, 774-775, 777-778
 electromyographic evaluation for, 774
 team approach to, 768-769
 technique for, 769-774
- Spastic diplegia, in children, botulinum toxin for, 708
- Spastic dystonia, in upper motoneuron syndrome, 860-861
- Spastic hemiplegia, in children, botulinum toxin for, 711-712
- Spasticity, botulinum toxin for, **821-835**
 cerebral palsy, 824-826
 electromyographic evaluation for, 822-823
 multiple sclerosis, 826-827
 Parkinson's disease, 830-831
 side effects of, 832-833
 spinal cord injury. *See* Spinal cord injury.
 stroke, brain injury, and hemiplegia, 827-830
 with other modalities, 831-832
 treadmill with body weight support and, in motor recovery, after stroke, S118
- Spinal canal, size of, and surgical outcome, 501-502, 505
- Spinal cord disorders, and neck pain, 484-486
- Spinal cord infections, and neck pain, imaging of, 530-531
- Spinal cord injury, spasticity in, botulinum toxin for, 826-827, **901-910**
 patient selection for, 902-903
 resistance to, 908
 technique for, 904-906
 to enhance flap surgery, 906-907
 to enhance patient functioning, 907-908

- with other medications,
903–904
 - Spinal manipulation, for neck pain, 611,
614–615, 618, 666–667
 - Spinal mobilization, for lumbar spinal
stenosis, 104
 - Spinal muscular atrophies, electrodiagnosis
of, 341
 - in children, 438
 - epidemiology of, 328–329
 - Spondyloarthropathies, and neck pain,
laboratory tests for, 596
 - Spondylolisthesis, lumbar spinal stenosis
with, surgical management of, 147
 - Spondylosis, and neck pain, 465
 - Stem cells, in motor recovery, after stroke,
S139–S140, **S143–S151**
 - clinical studies of,
S144–S146
 - mechanism of, S147
 - rodent models of, S144
 - testing techniques in, S146
 - trophic factor production
in, S148–S149
 - Sternocleidomastoid tendinitis, and neck
pain, 466
 - Steroid injections, epidural. *See* Epidural
steroid injections.
 - Stiff knee, in upper motoneuron syndrome,
878–879
 - Still's disease, and neck pain, imaging of,
521–522
 - Strength deficits, neck pain and, 577,
580–581
 - Strengthening exercises, for neck pain,
580–581
 - Stroke, functional magnetic resonance
imaging after. *See* Functional
magnetic resonance imaging.
injured hemisphere in, S38–S39
intact hemisphere in, S28–S38
 - cellular activation, structural
remodeling, and growth of,
S28–S29
 - complex dendrites of, S33
 - fragile recovery of, S31–S32
 - learned motor compensation in,
S37–S38
 - possible function of, S28, S32
 - pharmacology and
biotechnology in,
S33–S35
 - use-dependent dendritic
arborization of, S29–S31,
S35–S37
 - motor recovery after, **S1–S5**
 - constraint-induced movement
therapy in. *See*
Constraint-induced
movement therapy.
 - drugs in, amphetamine. *See*
Amphetamine.
detrimental effects of, 128
 - levodopa, S130
 - methylphenidate, S130
 - growth factors in. *See* Growth
factors.
 - neuromuscular electrical
stimulation in. *See*
Neuromuscular electrical
stimulation.
 - neuronal transplantation in.
See Neuronal
transplantation.
 - neuroplasticity in. *See*
Neuroplasticity.
 - recombinant tissue plasminogen
activator in, S2
 - stem cells in. *See* Stem cells.
 - time frame in, S135–S137
 - treadmill with body weight
support in. *See* Treadmill
with body weight support.
 - spasticity in, botulinum toxin for,
827–830
 - transcranial magnetic stimulation in,
321
 - Submandibular muscles, in oromandibular
dystonia, botulinum toxin for, 735
 - Sudomotor function, autonomic nervous
system in, 289–290
 - Sympathetic skin responses, in
autonomic nervous system
evaluation, 292
 - Synaptic organization, neuroplasticity in,
after stroke, S10–S12
 - Syncope, autonomic nervous system in,
302–303
 - Synkinesis, botulinum toxin for, 730, 741
 - Synovial cysts, and neck pain, 464
 - Syringomyelia, and neck pain, 485
- T**
- Tarui's disease, electrodiagnosis of, 422
 - Temporalis muscle hypertrophy, botulinum
toxin for, 728, 731–732

- Temporomandibular joint disorders,
 botulinum toxin for, 742
- Tendinitis, and neck pain, 464, 466
- Tension-type headaches, botulinum toxin
 for, 730, 741–743, 885–887
 clinical trials of, 893–896
- Thermal modalities, for neck pain, 618–619
- Thermal Sensitivity Tester, in quantitative
 sensory testing, 274
- Thermal Sensory Analyzer TSA-2001, in
 quantitative sensory testing, 274–275
- Thermograph training, for neck pain, 653
- Thermoregulatory sweat test, in autonomic
 nervous system evaluation, 290–291
- Thigh, adducted, in upper motoneuron
 syndrome, 877–878
- Thoracic outlet syndrome, and neck pain,
 488
- Thumb abduction, in physical examination,
 for neck pain, 481
- Thumb disorders, in children, botulinum
 toxin for, 712–713
- Thumb-in-palm deformity, in children,
 botulinum toxin for, 712
 in upper motoneuron syndrome,
 874–876
- Thumb opposition, in physical examination,
 for neck pain, 481
- Thyroid disorders, myopathies with,
 electrodiagnosis of, 426
- Thyrotoxic myopathy, electrodiagnosis of,
 426
- Tics, orofacial motor, botulinum toxin for,
 729, 736–737
- Tizanidine, for neck pain, 636
 for spinal cord injury, botulinum
 toxin with, 904
- Tongue hyperactivity, botulinum toxin for,
 729, 735–736
- Torticollis. *See* Cervical dystonia.
- Toxin-induced neuropathies, autonomic
 nervous system in, 300
 electrodiagnosis of, 374–375, 376–377
- Traction, for neck pain, 618
- Tramadol, for neck pain, 636–637
- Transcranial magnetic stimulation, **307–325**
 coils in, 310–311
 cortical excitability modulation in,
 316–318
 paired pulse stimulation in,
 316–317
 repetitive stimulation in,
 317–318
 experimental protocol for,
 309–310
 facilitation in, 313–314
 future directions in, 321
 in amyotrophic lateral sclerosis, 320
 in constraint-induced movement
 therapy, after stroke, S81
 in multiple sclerosis, 320
 in Parkinson's disease, 321
 in stroke, 321
 motor threshold in, 312
 parameters for, 318, 320
 central motor conduction time,
 318
 motor-evoked potential
 amplitude and area, 318
 stimulus-response curve, 318, 320
 twitch force, 318
 variability of corticospinal
 excitability, 320
 safety of, 308–309
 silent period in, 314–316
- Transcutaneous electrical nerve stimulation,
 for neck pain, 619–620
- Transforaminal approach, to epidural
 steroid injections, for lumbar spinal
 stenosis, 123, 128–129, 134
- Trauma, and neck pain, imaging of,
 531–532
- Traumatic brain injuries, constraint-
 induced movement therapy for, S86
- Treadmill with body weight support, in
 motor recovery, after stroke, S3,
 S111–S123
 cardiovascular effects of,
 S118
 clinical studies of,
 S114–S117
 disadvantages of,
 S118–S119
 electromechanical gait
 trainer in, S119–S121
 gait analysis studies of,
 S117–S118
 instrumentation for, S112
 technique for, S113–S114
 versus physiotherapy,
 S116–S117
- Triceps reflex, in physical examination, for
 neck pain, 482

Tricyclic antidepressants, for neck pain, 635

Trileptal, for neck pain, 635

Triplanar stretches, for lumbar spinal stenosis, 113

Tumors, spinal, and neck pain, imaging of.
See Neck pain, imaging of.

U

Ultram, for neck pain, 636–637

Umbilical cord blood cells, in motor recovery, after stroke, S140

Upper extremity disorders, in children, botulinum toxin for. *See* Pediatric disorders.

Upper motoneuron syndrome, **855–883**
adducted/internally rotated shoulder in, 862–865
adducted thigh in, 877–878
clenched fist in, 871–874
co-contraction in, 859–860
equinovarus foot in, 880–882
flexed elbow in, 865, 867–868
flexed hip in, 876–877
flexed knee in, 879–880
flexed wrist in, 856–856, 869–871
loss of dexterity in, 857
negative features of, 856–857
positive features of, 857–862
pronated forearm in, 868–869
spastic dystonia in, 860–861
stiff knee in, 878–879
stretch-sensitive reflex in, 858–859
thumb-in-palm deformity in, 874–876

Uremic polyneuropathy, electrodiagnosis of, 382

Uric acid, in neck pain, 601

V

Valium, for spinal cord injury, botulinum toxin with, 903

Valsalva maneuver, in autonomic nervous system evaluation, 294–295

Valsalva ratio, in autonomic nervous system evaluation, 293–294

Vascular claudication, lumbar spinal stenosis and, versus neurogenic intermittent claudication, 31–32

Vascular disorders, and neck pain, 462–464

Vasculitic syndromes, multifocal neuropathy in, electrodiagnosis of, 376

Vertebral compression fractures, benign versus malignant, 542

Vibrometer, in quantitative sensory testing, 272

Vibratory Sensory Analyzer, in quantitative sensory testing, 273

Vibratron II, in quantitative sensory testing, 272

Vincristine-induced neuropathy, electrodiagnosis of, 375

Visual Analogue Pain Rating Scales, for neck pain, 581

Visualization, for neck pain, 654–655

Vitamin B₆-induced neuropathy, electrodiagnosis of, 379–380

Vitamin E deficiency, neuropathy with, electrodiagnosis of, 379

von Frey hairs, in quantitative sensory testing, 271

W

Waddell's signs, in lumbar spinal stenosis, 36, 37

Wohlfart-Kugelberg-Welander disease, epidemiology of, 329

Wound infections, spinal decompression and, 148

Wrist, flexed, in upper motoneuron syndrome, 856–857, 869–871

Wrist disorders, in children, botulinum toxin for, 712

X

X-linked bulbar muscular atrophy, epidemiology of, 328

Y

Yoga, for neck pain, 665–666

Z

Zanaflex, for neck pain, 636
for spinal cord injury, botulinum toxin with, 904

Zidovudine, and myopathies, electrodiagnosis of, 427–428

Zostrix, for neck pain, 637