



ELSEVIER  
SAUNDERS

Phys Med Rehabil Clin N Am  
15 (2004) 307–312

---

---

PHYSICAL MEDICINE  
AND REHABILITATION  
CLINICS OF  
NORTH AMERICA

---

---

## Index

*Note:* Page numbers of article titles are in **boldface** type.

### A

---

- Alzheimer's disease, event-related potentials in, **209–237**
- as prognostic factor, 229–230
  - drug treatment response, 231–232
  - genetic risk, 230–231
  - linguistic and semantic processing, 220–223, 225–227
  - middle-latency potentials, 211–212
  - N400 potential. *See* N400 potential.
  - P300 potential. *See* P300 event-related potential.
  - picture repetition, 229
  - Sternberg paradigm in, 219
  - word repetition, 227–229
- Amplification and summation, in somatosensory evoked potentials, 21
- Anesthesia, and evoked potentials, 79
- Aneurysms, cerebral, intraoperative monitoring of, evoked potentials in, 71–72
- Antiepileptic drugs, and motor evoked potentials, 129
- Aphasia, plasticity of, 286
- Arterial shunts, indwelling, in carotid endarterectomy, 66
- Arteriovenous malformations, intraoperative monitoring of, evoked potentials in, 76
- Attention deficits, event-related potentials in, 172–174
- Auditory evoked potentials, in elderly, **239–254**
- bilateral asymmetry of auditory processing in, 243–244
  - brainstem response, 240
  - event-related responses, 241–243

- interaural asymmetries in, 244–248
- interhemispheric asymmetries in, 248–252
- late response, 241
- middle-latency response, 240–241
- mismatch negativity response, 241
- steady-state response, 240

Auditory stimulation,  
magnetoencephalography of, 281–282

### B

---

- Balloon occlusion test, intraoperative monitoring of, evoked potentials in, 78–79
- Blindness, neuromagnetic evaluation of, 282
- Blink artifact, in evoked potentials, 7–11
- Brain injury, event-related potentials in, **167–179**
- attention deficits, 172–174
  - cognitive impairment, **181–207**
  - cholinergic function and sensory gating, 187–189
  - cholinergic hypothesis of, 182–187
  - neurobiology of sensory gating, 189–190
  - P50 response. *See* P50 evoked response.
  - coma and vegetative state, 168–171
  - memory disorders, 174
  - mild head injury, 171–172
  - N100/P150 potential, 170
  - N100 potential, 170, 172
  - N200 potential, 172
  - P250 potential, 171
  - P300 potential, 169–170, 171–172, 173
  - prognostic value of, 169
  - reaction time task in, 173
  - response to speech, 169–170

Brain tumors, intraoperative monitoring of, evoked potentials in, 76–77

Brainstem auditory evoked potentials, recording of, 83

## C

Carotid endarterectomy, evoked potentials in, 65–66  
somatosensory evoked potentials in, 66, 68–70

Central motor conduction measurements, in transcranial magnetic stimulation, 124

Central nervous system, evaluation of, **269–312**

electroencephalography in, 277–278  
equivalent current dipole in, 279, 294

for emotional and cognitive functions, 284–287

for monohemispheric lesions and stroke, 289–297  
constraint-induced movement therapy in, 294–296  
intracortical inhibition in, 293

for peripheral and central lesions, 287–288

for spinal cord lesions and motoneuron diseases, 288–289

functional magnetic resonance imaging in, 275–277, 291, 296

long-term inhibition in, 271  
long-term potentiation in, 270–271

magnetoencephalography in, 278–279, 287, 293–294

mechanisms of plasticity in, 270–273

motor evoked potentials in, 288–289, 291–293

neuromagnetic methods in, 279–284

mismatched negativity evoked potentials in, 279–280

of auditory stimulation, 281–282

of blindness, 282

positron emission tomography in, 275–277, 282, 286, 288

sensorimotor brain areas in, 273–275

transcranial magnetic stimulation in, 276–277, 282–283, 285, 286

Cerebral aneurysms, intraoperative monitoring of, evoked potentials in, 71–72

Cerebral artery, intraoperative monitoring of, evoked potentials in, 72–73

Cerebral lesions, somatosensory evoked potentials in, 36

Cervical response, in somatosensory evoked potentials, 27–28

Cervical spine surgery, electrophysiologic monitoring in, 98–100

Cholinergic agents, for Alzheimer's disease, event-related potential studies of, 231

Cholinergic function, after brain injury, 187–189

Cholinergic hypothesis, of cognitive impairment, after brain injury, 182–187

Cholinesterase inhibitors, for cognitive impairment, after brain injury, 186

Cognitive function, plasticity of, 284–287

Cognitive impairment, brain injury and. *See* Brain injury.  
in Alzheimer's disease. *See* Alzheimer's disease.

Coma, event-related potentials in, 168–171  
somatosensory evoked potentials in, **43–61**

biochemical markers with, 44, 57

clinical applications of, 57–58

clinical signs with, 44

interpretation of, 50, 52–53

results of, 53, 56–57

technique for, 48, 50

timing of, 46–48

Constraint-induced movement therapy, after stroke, 294–296

Cortical function, evaluation of, motor evoked potentials in, 131

## D

Dermatomal somatosensory evoked potentials, in lumbosacral spinal stenosis, 114, 116–117  
anatomy and, 116–117

Donepezil, for Alzheimer's disease, event-related potential studies of, 231

for cognitive impairment, after brain injury, 186

## E

- Electrocardiogram artifact, in evoked potentials, 11–12
- Electroencephalography, of central nervous system, 277–278
- Electromyography, triggered, in spinal surgery, 95
- Electrophysiologic monitoring, intraoperative. *See* Intraoperative electrophysiologic monitoring.
- Emotional functions, plasticity of, 284–287
- Endarterectomy, carotid, evoked potentials in, 65–66  
somatosensory evoked potentials in, 66, 68–70
- Epilepsy, motor evoked potentials in, 129
- Equivalent current dipole, in magnetoencephalography, of central nervous system, 279, 294
- Event-related potentials, artifacts in. *See* Evoked potentials, artifacts in.  
auditory, in elderly, 241–243  
dipole source localization in. *See* Evoked potentials, dipole source localization in.  
in Alzheimer's disease. *See* Alzheimer's disease.  
in brain injury. *See* Brain injury.  
P300. *See* P300 event-related potential.
- Evoked potentials, artifacts in, **1–17**  
avoidance of, 2–3  
elimination of, 3–4, 6  
line noise, 2–3  
minimization of, 6–15  
  blink artifact, 7–11  
  electrocardiogram artifact, 11–12  
  magnetic resonance imaging gradient artifact, 13–15  
auditory. *See* Auditory evoked potentials.  
dipole source localization in, **255–267**  
clinical applications of, 262–263, 266  
fixed dipole model of, 261  
moving dipole model of, 258, 260  
regional dipole model of, 260–261  
rotating dipole model of, 260

volume conductor models of, 261–262  
in intraoperative electrophysiologic monitoring. *See* Intraoperative electrophysiologic monitoring.  
motor. *See* Motor evoked potentials.  
somatosensory. *See* Somatosensory evoked potentials.

## F

- Frequency filter setting, in somatosensory evoked potentials, 21
- Functional magnetic resonance imaging, of central nervous system, 275–277, 291, 296  
of cognitive impairment, in Alzheimer's disease, 210

## H

- H reflex, in spinal surgery, 96–97, 100, 101
- Hypotension, and evoked potentials, 79, 81–82

## I

- Interaural asymmetries, and auditory evoked potentials, in elderly, 244–248
- Interhemispheric asymmetries, and auditory evoked potentials, in elderly, 248–252
- Intracortical inhibition, after stroke, 293
- Intracranial neurovascular surgery, evoked potentials in. *See* Intraoperative electrophysiologic monitoring.
- Intraoperative electrophysiologic monitoring, evoked potentials in, **63–87**  
anesthesia and, 79  
brain tumor surgery, 76–77  
brainstem auditory evoked potentials, 83  
cardiac endarterectomy, 65–66  
hypotension and, 79, 81–82  
interventional neuroradiologic procedures, 78–79  
intracranial neurovascular surgery, 71–72, 74–76  
  for anterior cerebral artery, 72  
  for arteriovenous malformations, 76  
  for cerebral aneurysm, 71–72  
  for posterior circulation, 72, 74–75

- Intraoperative (*continued*)
- ischemia and electrophysiologic studies, 64–65
  - median nerve somatosensory evoked potentials, 83
  - motor evoked potentials, 131
  - recording of, 82–83
  - somatosensory, 66, 68–70
  - stimulus electrodes in, 82
  - temperature and, 79
  - tibial nerve somatosensory evoked potentials, 83
  - in spinal surgery, **89–109**
    - for complications of positioning, 102
    - H reflex in, 96–97, 100, 101
    - motor evoked potentials in, 93–96, 99, 100, 101
    - protocols for, 97–102
      - cervical spine, 98–100
      - lumbar spine, 101–102
      - thoracic spine, 100–101
    - somatosensory evoked potentials in, 90–93, 99, 100, 101
    - triggered electromyography in, 95
- L**
- 
- Language, plasticity of, 285–286
- Line noise, in evoked potentials, 2–3
- Linguistic processing, in Alzheimer's disease, N400 potential in. *See* N400 potential.
- Lumbar spine surgery, electrophysiologic monitoring in, 101–102
- Lumbosacral spinal stenosis, **111–119**
- dermatomal somatosensory evoked potentials in, 114, 116–117
  - anatomy and, 116–117
  - diagnosis of, 113
    - electrodiagnostic testing in, 113–114
  - signs and symptoms of, 112–113
- M**
- 
- Magnetic resonance imaging, functional, of central nervous system, 275–277, 291, 296
- of cognitive impairment, in Alzheimer's disease, 210
- Magnetic resonance imaging gradient artifact, in evoked potentials, 13–15
- Magnetoencephalography, of central nervous system, 278–279, 287, 293–294
- Median nerve somatosensory evoked potentials, recording of, 35, 83
- Memory disorders, event-related potentials in, 174
- Mismatch negativity response, central nervous system in, 279–280
- in elderly, 241
- Monohemispheric lesions, central nervous system reorganization after, 289–297
- Motoneuron diseases, motor evoked potentials in, 288–289
- Motor evoked potentials, **121–135**
- in epilepsy, 129
  - in intraoperative monitoring, 131
  - in movement disorders, 128–129
  - in multiple sclerosis, 131
  - in spinal cord lesions and motoneuron diseases, 288–289
  - in spinal surgery, 93–96, 99, 100, 101
  - in stroke, 130–131, 289, 291–293
  - in transcranial electrical stimulation, 122
  - in transcranial magnetic stimulation, 122–124
  - stimulation parameters in, 124–128
    - central motor conduction measurements, 124
    - motor thresholds, 124–125
    - paired-pulse stimulation, 126–127
    - silent period, 127–128
    - stimulus response curve, 125–126
  - to evaluate higher cortical functions, 131
- Movement disorders, motor evoked potentials in, 128–129
- Multiple sclerosis, motor evoked potentials in, 131
- somatosensory evoked potentials in, 36
- N**
- 
- N18 potential, recording of, 26
- N20, P20, P22 potential, recording of, 27
- N100/P150 potential, in unconscious patients, 170
- N100 potential, in mild head injury, 172
- in unconscious patients, 170
- N200 potential, in mild head injury, 172
- N400 potential, in Alzheimer's disease, 220–223, 225–227

- aging and, 220–221
  - cross-sectional studies of, 221–223
  - in semantic network structure, 223, 225–226
- Neuroradiologic procedures, interventional, intraoperative monitoring of, evoked potentials in, 78–79

## **P**

---

- P9, N9 potential, recording of, 23
- P11, N11 potential, recording of, 23
- P13/P14 potential, recording of, 25–26
- P50 evoked response, clinical applications of, 199–200
- limitations of, 199–200
  - physiology of, 194–199
    - cholinergic augmentation and, 197–199
    - suppression and hippocampal volume, 197
    - suppression and sensory gating, 195–197
  - to paired auditory stimuli, 191–194
- P250 potential, in unconscious patients, 171
- P300 event-related potential, **137–165**, 169–170, 171–172, 173
- background of, 137–139
  - clinical applications of, 142–149, 154–155
  - methodologic issues in, 143–149, 155
    - oddball paradigm, 143–144
    - passive and single-stimulus tasks, 155
    - recording, 147–149
    - stimulus factors, 144–146
    - task parameters, 146–147
  - hemispheric differences in, 142
  - in Alzheimer's disease, 212–213, 216–219
    - auditory studies of, 213, 216
    - in differential diagnosis, 217–218
    - longitudinal studies of, 217
    - olfactory studies of, 217
    - utility of, 218–219
    - visual studies of, 216–217
  - measurement reliability of, 149–151
    - biologic factors in, 149–151
    - genetic factors in, 151
  - neural model of, 140–142
  - normative data on, 151–154
    - normal aging variability, 151–153
    - statistical analyses, 153–154

- P3a and P3b subcomponents of, 139
  - theory of, 139–140
- Pain sensation, impaired, somatosensory evoked potentials in, 36
- Paired-pulse stimulation, in motor evoked potentials, 126–127
- Paradoxical lateralization, in somatosensory evoked potentials, 32–33
- Parkinson's disease, motor evoked potentials in, 128–129
- Physostigmine, for cognitive impairment, after brain injury, 186
- Picture repetition, in Alzheimer's disease, N400 potential in, 229
- Positron emission tomography, of central nervous system, 282, 286, 288, 295–297

## **R**

---

- Reaction time task, in attention deficits, 173
- Reflex monitoring, in spinal surgery, 96–97, 100, 101

## **S**

---

- Scalp potential, recording of, 30, 32
- Semantic processing, in Alzheimer's disease, N400 potential in. *See* N400 potential.
- Sensory gating, after brain injury, 187–190, 195–197
- Shunts, indwelling arterial, in carotid endarterectomy, 66
- Silent period, in motor evoked potentials, 127–128
- Sleep, and somatosensory evoked potentials, 34–35
- Somatosensory evoked potentials, **19–42**
- age and, 33–34
  - body size and, 34
  - clinical applications of, 36–37
  - dermatomal, in lumbosacral spinal stenosis, 114, 115–117
  - in carotid endarterectomy, 66, 68–70
  - in coma. *See* Coma.
  - in spinal surgery, 90–93, 99, 100, 101
  - lower extremity, 29
    - spinal response, 29
  - median nerve, 35
  - medium- and long-latency upper extremity, 29

- Somatosensory (*continued*)
- paradoxical lateralization, 32–33
  - recording technique in, 20–21
    - amplification and summation, 21
    - frequency filter setting, 21
    - stimulation, 20–21
  - scalp potential, 30, 32
  - short-latency upper extremity, 22–23, 25–28
    - cervical response, 27–28
    - N18 potential, 26
    - N20, P20, P22 potential, 27
    - P9, N9 potential, 23
    - P11, N11 potential, 23
    - P13/P14 potential, 25–26
  - sleep and, 34–35
  - temperature and, 34
  - tibial nerve, 35–36
- Spinal cord lesions, motor evoked potentials in, 288–289
- Spinal response, in somatosensory evoked potentials, 29
- Spinal stenosis, lumbosacral. *See* Lumbosacral spinal stenosis.
- Spinal surgery, electrophysiologic monitoring in. *See* Intraoperative electrophysiologic monitoring.
- Sternberg paradigm, in Alzheimer's disease, 219
- Stimulus electrodes, in somatosensory evoked potentials, 20–21, 82
- Stimulus response curve, in motor evoked potentials, 125–126
- Stroke, central nervous system reorganization after, 289–297
  - motor evoked potentials in, 130–131, 289, 291–293

---

**T**


---

- Temperature, and evoked potentials, 79  
and somatosensory evoked potentials, 34
- Temperature sensation, impaired, somatosensory evoked potentials in, 36
- Thoracic spine surgery, electrophysiologic monitoring in, 100–101
- Tibial nerve somatosensory evoked potentials, recording of, 35–36, 83
- Transcranial electrical stimulation, motor evoked potentials in, 122
- Transcranial magnetic stimulation, motor evoked potentials in, 122–124  
of central nervous system, 276–277, 282–283, 285
- Triggered electromyography, in spinal surgery, 95

---

**U**


---

- Unconscious patients, event-related potentials in, 168–171

---

**V**


---

- Vegetative state, event-related potentials in, 168–171

---

**W**


---

- Wernicke's aphasia, plasticity of, 286
- Word repetition, in Alzheimer's disease, N400 potential in, 227–229