



## Index

*Note:* Page numbers of article titles are in **boldface** type.

### A

- Adolescent(s)  
social communication in  
high-functioning patients with  
autistic spectrum disorders, 98–99
- Affective education  
in Asperger syndrome, 75–77
- Aggression  
in Asperger syndrome, 33–34, 157–162  
in high-functioning autism, 33–34
- Anger  
in Asperger syndrome  
behavioral interventions in, 73–75
- Antiseptic bouncing  
in cycle of tantrums, rage, and  
meltdowns, 124
- Anxiety  
in Asperger syndrome, 34–36  
behavioral interventions in, 73–75  
in high-functioning autism, 34–36
- Ascendancy  
gaining of  
in Asperger syndrome, 161
- Asperger disorder (AD).  
*See also Asperger syndrome.*  
epidemiology of, **15–21**  
study selection in, 15  
in recent autism surveys, 16–17  
surveys of, 15, 18–20
- Asperger syndrome. *See also Asperger disorder (AD).*  
aggression in, 33–34, 157–162  
defensiveness, 160–161  
gaining ascendancy, 161  
outrage, 159  
retaliation, 158–159  
sexual deviation, 161–162  
special interests, 160  
uproar, 159  
anxiety in, 34–36  
behavioral interventions in  
affective education, 75–77  
cognitive restructuring, 78–80  
for anger, 73–75  
for anxiety, 73–75  
for depression, 73–75  
for mood disorders, 72–73  
frameworks for, **65–86**  
practice, 83–84  
self-reflection, 81–82  
stress management, 80–81  
behavioral rigidity in, 38–39  
challenges related to, **143–163**  
aggression, 157–162  
comorbidity, 156–157  
diagnosis in adulthood, 153–155  
extent of service to be provided,  
150–152  
purpose of diagnosis, 155–156  
responsibility for helping patients  
with, 146–150  
social exclusion, 152  
working with caregivers, 152–153  
clinical assessment of, 4–6  
clinical features of, 2–4  
clinical service for  
future directions in, 9–10  
core syndrome of, 148  
depression in, 36–37  
diagnosis of, **1–13**, 143–144  
external validity in, 7–9  
historical background of, 143–146  
hyperactivity and inattention in, 37–38  
in high-functioning autism  
pharmacologic treatment of  
complementary, 39–40  
inflexibility in, 38–39  
outcome research in, **47–63**  
comparative outcome, 55–58  
factors relevant to, 58–60  
follow-up study, 54–55  
implications for intervention,  
60–61  
methodological issues, 48–49  
pharmacologic treatment of  
core features of, 24–26  
strategies in, **23–45**

- characterizing symptoms in, 30–32
    - establishing priorities, 28–30
    - mechanics in, 24–26
    - modality priorities in, 32–33
    - symptom clusters in, 33–40
  - research criteria for, 143–144
  - research related to
    - future directions in, 9–10
  - self-awareness in, 138
  - sensory issues in, 138
  - stereotypies in, 39
  - stress management of
    - behavioral forms of, **123–141**
    - future directions in, 139
    - meltdowns
      - cycle of, 124–128
      - prevention of, 128–138
    - rage
      - cycle of, 124–128
      - prevention of, 128–138
    - tantrums
      - cycle of, 124–128
      - prevention of, 128–138
  - treatment of, 6–7
- Autism**
- functioning
    - aggression in, 33–34
    - anxiety in, 34–36
    - behavioral rigidity in, 38–39
    - depression in, 36–37
    - hyperactivity and inattention in, 37–38
    - inflexibility in, 38–39
    - pharmacologic treatment of
      - strategies in
        - complementary, 39–40
    - stereotypies in, 39
  - high-functioning
    - pharmacologic treatment of
      - strategies in, **23–45**
      - characterizing
        - symptoms in, 30–32
      - core features of, 24–26
      - establishing priorities, 28–30
      - mechanics in, 24–26
      - modality priorities in, 32–33
      - symptom clusters in, 33–40
  - interventions for, **107–122**
    - goal selection in, 117–118
    - programmed generalization and ongoing practice in, 119–120
    - selective and progressive programming in, 118–119
    - self-awareness fostering in, 116–117
    - self-esteem fostering in, 116–117
    - social skills training. *See Autism, social skills training in.*
    - studies of
      - previous, 108–110
  - outcome research in, **47–63**
    - employment, 50–51
    - implications for intervention, 60–61
    - living arrangements, 51
    - methodological issues, 48–49
    - predictors of outcome, 52
    - relationships, 51–52
    - school placement, 50
  - recent surveys of
    - Asperger syndrome in, 16–17
  - social skills training in
    - engaged transitions, 113
    - focused activities, 115–116
    - group intervention
      - essential ingredients in, 111
      - making abstract concrete, 112–116
      - multiple and varied learning opportunities, 115
      - predictability, 112–113
      - scaffolded language support, 113–115
      - structure, 112–113
      - usefulness of, 108–110
- Autistic spectrum disorders**
- in high-functioning patients
    - social communication in
      - early interventions in, 88–93
        - adult-mediated interventions in, 89–91
        - peer-mediated interventions in, 91–93
      - for school-aged children, 93–98
        - adult-mediated interventions in, 93–96
        - peer-mediated interventions in, 96–98
    - in adolescents, 98–99
      - adult-mediated interventions in, 98–99
      - peer-mediated interventions in, 99
    - promotion of, **87–106**
      - implications of, 99–102

Awareness  
 sensory  
 in prevention of tantrums, rage, and  
 meltdowns, 135–138

**B**

Behavioral rigidity  
 in Asperger syndrome, 38–39  
 in high-functioning autism, 38–39

Bouncing  
 antiseptic  
 in cycle of tantrums, rage, and  
 meltdowns, 124

**C**

Cartooning  
 in prevention of tantrums, rage, and  
 meltdowns, 129

Cognitive restructuring  
 in Asperger syndrome, 78–80

Communication  
 social  
 in high-functioning patients with  
 autistic spectrum disorders  
 promotion of, **87–106**.  
*See also Autistic  
 spectrum disorders,  
 in high-functioning  
 patients, social  
 communication in.*

**D**

Defensiveness  
 in Asperger syndrome, 160–161

Depression  
 in Asperger syndrome, 36–37  
 behavioral interventions in, 73–75  
 in high-functioning autism, 36–37

**E**

Education  
 affective  
 in Asperger syndrome, 75–77

Employment  
 in autism research studies, 50–51

Engaged transitions  
 in social skills training in autism, 113

**F**

Friendship  
 development stages in, 66–72

**G**

Gaining ascendancy  
 in Asperger syndrome, 161

**H**

Home base  
 in cycle of tantrums, rage, and  
 meltdowns, 125–126

Hyperactivity and inattention  
 in Asperger syndrome, 37–38  
 in high-functioning autism, 37–38

**I**

Inattention  
 hyperactivity and  
 in Asperger syndrome, 37–38  
 in high-functioning autism, 37–38

Inflexibility  
 in Asperger syndrome, 38–39  
 in high-functioning autism, 38–39

**J**

“Just walk and don’t talk”  
 in cycle of tantrums, rage, and  
 meltdowns, 126

**L**

Language support  
 scaffolded  
 in social skills training in autism,  
 113–115

Living arrangements  
 in autism research studies, 51

**M**

Meltdown(s)  
 cycle of, 124–128  
 prevention of, 128–138

Mood disorders  
 in Asperger syndrome  
 behavioral interventions in, 72–73

**O**

Outrage  
 in Asperger syndrome, 159

**P**

- 
- Predictability
    - in social skills training in autism, 112–113
  - Proximity control
    - in cycle of tantrums, rage, and meltdowns, 124–125

**R**

- 
- Rage
    - cycle of, 124–128
    - prevention of, 128–138
  - Rage stage
    - in cycle of tantrums, rage, and meltdowns, 126–127
  - Recovery stage
    - in cycle of tantrums, rage, and meltdowns, 127–128
  - Redirecting
    - in cycle of tantrums, rage, and meltdowns, 125
  - Relationships
    - in autism research studies, 51–52
  - Retaliation
    - in Asperger syndrome, 158–159
  - Rigidity
    - behavioral
      - in Asperger syndrome, 38–39
      - in high-functioning autism, 38–39
  - Rumbling stage
    - in cycle of tantrums, rage, and meltdowns, 124

**S**

- 
- Scaffolded language support
    - in social skills training in autism, 113–115
  - School placement
    - in autism research studies, 50
  - School-aged children
    - social communication in high-functioning patients with autistic spectrum disorders, 93–98
  - Self-awareness
    - fostering of
      - in autism, 116–117
      - in Asperger syndrome, 138
  - Self-esteem
    - fostering of
      - in autism, 116–117

- Self-reflection
  - in Asperger syndrome, 81–82
- Sensory awareness
  - in prevention of tantrums, rage, and meltdowns, 135–138
- Sensory issues
  - in Asperger syndrome, 138
- Sexual deviation
  - in Asperger syndrome, 161–162
- Signal interference
  - in cycle of tantrums, rage, and meltdowns, 125
- Situation, options, consequences, choices, strategies, simulation (SOCCSS)
  - in prevention of tantrums, rage, and meltdowns, 131–132
- SOCCSS. *See Situation, options, consequences, choices, strategies, simulation (SOCCSS).*
- Social autopsies
  - in prevention of tantrums, rage, and meltdowns, 129–131
- Social communication
  - in high-functioning patients with autistic spectrum disorders
    - promotion of, **87–106**. *See also Autistic spectrum disorders, in high-functioning patients, social communication in.*
- Social skills training
  - in autism. *See Autism, social skills training in.*
- SODA. *See Stop, observe, deliberate, act (SODA).*
- Stereotypes
  - in Asperger syndrome, 39
  - in high-functioning autism, 39
- Stop, observe, deliberate, act (SODA)
  - in prevention of tantrums, rage, and meltdowns, 132–135
- Stress management
  - in Asperger syndrome, 80–81
    - behavioral forms of, **123–141**
- Structure
  - in social skills training in autism, 112–113
- Student difficulties
  - acknowledgment of
    - in cycle of tantrums, rage, and meltdowns, 126

Support from routine  
in cycle of tantrums, rage, and  
meltdowns, 125

Transition(s)  
engaged  
in social skills training in autism,  
113

**T**

---

Tantrum(s)  
cycle of, 124–128  
prevention of, 128–138

**U**

---

Up roar  
in Asperger syndrome, 159